

WELCOMING VERSATILITY



ARCHITECTURAL MAHOGANY AM-40 DOORS

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. Our enduring JELD-WEN® Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal; our JELD-WEN® Steel exterior doors are an affordable, energy efficient choice; and all our doors are designed to be enduring and worry-free.

To learn more about our exterior doors, and review the limited warranty, care and maintenance information, please visit www.jeld-wen.com.

COVER PHOTO DOOR: ARCHITECTURAL CRAFTSMAN MAHOGANY WOODGRAIN AC-814KP



Table of Contents

Architectural Fiberglass Doors Intro..... 5

| | |
|--|-------|
| Architectural Oak Woodgrain Doors and Sidelights | 6 |
| Architectural Mahogany Woodgrain Doors and Sidelights | 6-8 |
| Architectural Craftsman Doors | 9 |
| Scarlett Glass | 10 |
| Paris Glass | 10 |
| Madison Glass | 11 |
| Oak Park Glass | 11 |
| Architectural Glass Designs | |
| Providence Glass | 12 |
| Monticello Glass | 13 |
| Bellview Glass | 14-15 |
| Castile Glass | 16-17 |
| Harrington Glass | 18-19 |
| Alvarado Glass | 20 |

Design-Pro Fiberglass Doors Intro 23

| | |
|---|-------|
| Design-Pro Oak Woodgrain Doors and Sidelights | 24-25 |
| Design-Pro Mahogany Woodgrain Doors and Sidelights | 26 |

Smooth-Pro Fiberglass Doors Intro 29

| | |
|---------------------------------------|-------|
| Smooth-Pro Doors and Sidelights | 30-31 |
|---------------------------------------|-------|

Steel Doors Intro 33

| | |
|----------------------------------|-------|
| Steel Doors and Sidelights | 34-35 |
|----------------------------------|-------|

Design-Pro, Smooth-Pro and Steel Doorglass

| | |
|-----------------------|-------|
| Acacia | 36 |
| Fleur-de-lis | 37 |
| Vienna | 38 |
| Paris | 39 |
| Expressions | 40-41 |
| Cadence | 42-43 |
| Cirrus | 44 |
| Allure | 45 |
| Entropy | 46 |
| Interpretations | 47 |
| Legacy Master | 48-49 |
| Silhouettes | 50 |
| Jacinto | 51 |
| Avant | 52-53 |
| Impressions | 54-55 |
| Oak Park | 56 |
| Escapades | 57 |
| Monterey | 58 |
| Catalina | 59 |
| Radiant Hues | 60-61 |
| Heirlooms | 62-63 |
| Madison | 64 |
| Corvina | 65 |
| Bristol | 66-67 |
| Nouveau | 68-69 |
| Accolade | 70 |
| Simplicity | 71 |

| | |
|--|-------|
| Majestic | 72-73 |
| Tripoli | 74 |
| Beveled Elegance | 75 |
| Cut Crystal | 75 |
| Quiet Elegance | 76 |
| Fixed Grilles and Clear Glass | 78-83 |
| Vents | 85 |
| Raise and Lower Doorglass Shade | 86 |
| Motorized Raise, Lower and Tilt Doorglass Blind | 87 |
| Raise, Lower and Tilt Doorglass Blind | 88 |
| GBG Blinds | 89 |
| Severe Weather Doorglass | 90-92 |

Fiberglass and Steel Door Construction 93

Preserving Craftsmanship 94

Door Configurations, Shapes and Sizes 95

Fiberglass and Steel Door Specifications 96-102

About JELD-WEN 103



ARCHITECTURAL MAHOGANY WOODGRAIN AM-826 DOOR WITH MONTICELLO GLASS

ARCHITECTURAL DOOR DESIGNS

These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic. For example, new flat-paneled Craftsman designs are ideal for homes with Mission, Prairie, Shaker and Craftsman architecture. Our charming plank door designs complement Old World home styles. And the distinctive look of our Oak woodgrain designs with panel profiles and Mahogany woodgrain designs with raised moulding will enhance any home. Only JELD-WEN offers so many fiberglass door designs and options.

Each Architectural door is backed by a limited warranty; review it at www.jeld-wen.com.



AP-24
Architectural Plank
Mahogany Woodgrain

AC-814SL
Architectural Craftsman
Mahogany Woodgrain



AM-40
Architectural Mahogany Woodgrain



AO-828PC
Architectural Oak
Woodgrain

Oak Woodgrain Texture Door Designs



AO-826
Full Lite Oak
Woodgrain Door

| | |
|----------|------|
| DOOR | 3'0" |
| OAK 6'8" | • |



AO-828
3/4 Lite over 2-Panel Oak
Woodgrain Door

| | |
|----------|------|
| DOOR | 3'0" |
| OAK 6'8" | • |



AO-827
1/2 Lite over 2-Panel Oak
Woodgrain Door

| | |
|----------|------|
| DOOR | 3'0" |
| OAK 6'8" | • |

Mahogany Woodgrain Texture Door Designs



AM-828
3/4 Lite over 1-Panel Mahogany
Woodgrain Door (Also available
in 8'0" AM8-828)*

| | |
|---------------|------|
| DOOR | 3'0" |
| MAHOGANY 6'8" | • |
| MAHOGANY 8'0" | • |



AO-60
6-Panel Oak
Woodgrain Door

| | |
|----------|------|
| DOOR | 3'0" |
| OAK 6'8" | • |




AO-560
Full Lite Oak
Woodgrain Sidelight

| | | |
|-----------|-----|-----|
| SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | • |



AO-564
3/4 Lite Oak
Woodgrain Sidelight

| | | |
|-----------|-----|-----|
| SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | • |



AO-563
1/2 Lite Oak
Woodgrain Sidelight

| | | |
|-----------|-----|-----|
| SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | • |



AM-826
Full Lite Mahogany
Woodgrain Door

| | |
|---------------|------|
| DOOR | 3'0" |
| MAHOGANY 6'8" | • |

AM = Architectural Mahogany Woodgrain
AO = Architectural Oak Woodgrain
AP = Architectural Mahogany Plank
AC = Architectural Mahogany Craftsman



AM-20
2-Panel Continental™
Mahogany Woodgrain Door
(Also available in 8'0" AM8-20)*

| DOOR | 3'0" |
|---------------|------|
| MAHOGANY 6'8" | • |
| MAHOGANY 8'0" | • |



AM-827
1/2 Lite over 2-Panel
Mahogany Woodgrain Door

| DOOR | 3'0" |
|---------------|------|
| MAHOGANY 6'8" | • |



AM-30
3-Panel Mahogany
Woodgrain Door

| DOOR | 3'0" |
|---------------|------|
| MAHOGANY 6'8" | • |



AM-949
3-Panel with 3/4 Oval Lite
Mahogany Woodgrain Door

| DOOR | 3'0" |
|---------------|------|
| MAHOGANY 6'8" | • |



AM-40
4-Panel Bottom Arch Mahogany
Woodgrain Door (Also available
in 8'0" AM8-40)*

| DOOR | 3'0" | 3'6" |
|---------------|------|------|
| MAHOGANY 6'8" | • | • |
| MAHOGANY 8'0" | • | • |



AM-60
6-Panel Mahogany Woodgrain
Door (Also available in 8'0"
AM8-60)*

| DOOR | 3'0" | 3'6" |
|---------------|------|------|
| MAHOGANY 6'8" | • | • |
| MAHOGANY 8'0" | • | • |



AM-560
Full Lite Mahogany
Woodgrain Sidelight
(Also available in
8'0" AM8-562)*

| SIDELIGHT | 12" | 14" |
|---------------|-----|-----|
| MAHOGANY 6'8" | • | • |
| MAHOGANY 8'0" | • | • |



AM-564
3/4 Lite Mahogany
Woodgrain Sidelight

| SIDELIGHT | 12" | 14" |
|---------------|-----|-----|
| MAHOGANY 6'8" | • | • |



AM-563
6'8" 1/2 Lite
Mahogany Woodgrain
Sidelight

| SIDELIGHT | 12" | 14" |
|---------------|-----|-----|
| MAHOGANY 6'8" | • | • |

Door designs shown with clear glass inserts. Low-E glass available.

For complete glass offering see pages 10 – 20.

See specifications for dimensions.

*Check specifications on pages 96 – 97 for 8'0" panel sizes.

Plank



AP-14
1-Panel Plank Mahogany
Woodgrain Door (Also
available in 8'0" AP8-14)*

| DOOR | 3'0" | 3'6" |
|---------------|------|------|
| MAHOGANY 6'8" | • | |
| MAHOGANY 8'0" | • | • |




AP-24
2-Panel Plank Mahogany
Woodgrain Door (Also
available in 8'0" AP8-24)*

| DOOR | 3'0" | 3'6" |
|---------------|------|------|
| MAHOGANY 6'8" | • | |
| MAHOGANY 8'0" | • | • |



ARCHITECTURAL MAHOGANY WOODGRAIN PLANK DOOR AP-24

Craftsman Panel and Sidelights



AC-816
2-Panel Craftsman Camber Mahogany Woodgrain Door with 1-Lite

AC-819
Full Lite Mahogany Woodgrain Sidelight


| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
|---------------|------|---------------|-----|-----|
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |



AC-814
2-Panel Craftsman Mahogany Woodgrain Door with 1-Lite

AC-819
Full Lite Mahogany Woodgrain Sidelight

| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
|---------------|------|---------------|-----|-----|
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |



AC-817
2-Panel Craftsman Mahogany Woodgrain Door with 3-Lites

AC-819
Full Lite Mahogany Woodgrain Sidelight

| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
|---------------|------|---------------|-----|-----|
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |



AC-818
2-Panel Craftsman Mahogany Woodgrain Door with 6-Lites

AC-819
Full Lite Mahogany Woodgrain Sidelight

| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
|---------------|------|---------------|-----|-----|
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |

Door designs shown with clear glass inserts. Low-E glass available.
See specifications for dimensions.

*Check specifications on pages 96 – 97 for 8'0" panel sizes.

ARCHITECTURAL MAHOGANY WOODGRAIN CRAFTSMAN DOOR AC-814 WITH OAK PARK GLASS




Scarlett



Patina Caming

GLASS TEXTURES: Clear Softwave, Ruby Red Softwave, Olive Softwave, Yellow Swirl and Micro-Iced Granite

Privacy Rating | 7



AC-816SL

2-Panel Craftsman Camber Mahogany Woodgrain Door with 1-Lite

AC-819SL

Full Lite Mahogany Woodgrain Sidelight

CRAFTSMAN CAMBER

| PATINA | DOOR | 3'0" |
|---------------|------|------|
| MAHOGANY 6'8" | | • |

FULL SIDELIGHT

| PATINA | SIDELIGHT | 12" | 14" |
|---------------|-----------|-----|-----|
| MAHOGANY 6'8" | | • | • |



AC-814SL

2-Panel Craftsman Mahogany Woodgrain Door with 1-Lite

AC-819SL

Full Lite Mahogany Woodgrain Sidelight

CRAFTSMAN

| PATINA | DOOR | 3'0" |
|---------------|------|------|
| MAHOGANY 6'8" | | • |

FULL SIDELIGHT

| PATINA | SIDELIGHT | 12" | 14" |
|---------------|-----------|-----|-----|
| MAHOGANY 6'8" | | • | • |


Paris



Patina Caming

GLASS TEXTURES: Arctic Glass, Clear Bevels and Clear Renaissance Glass

Privacy Rating | 6



507PS (Fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height

521PS (Fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



AC-816PS

2-Panel Craftsman Camber Mahogany Woodgrain Door with 1-Lite

AC-819PS

Full Lite Mahogany Woodgrain Sidelight

CRAFTSMAN CAMBER

| PATINA | DOOR | 3'0" |
|---------------|------|------|
| MAHOGANY 6'8" | | • |

FULL SIDELIGHT

| PATINA | SIDELIGHT | 12" | 14" |
|---------------|-----------|-----|-----|
| MAHOGANY 6'8" | | • | • |



AC-814PS

2-Panel Craftsman Mahogany Woodgrain Door with 1-Lite

AC-819PS

Full Lite Mahogany Woodgrain Sidelight

CRAFTSMAN

| PATINA | DOOR | 3'0" |
|---------------|------|------|
| MAHOGANY 6'8" | | • |

FULL SIDELIGHT

| PATINA | SIDELIGHT | 12" | 14" |
|---------------|-----------|-----|-----|
| MAHOGANY 6'8" | | • | • |

Madison



Nickel Vein Wrought Iron

GLASS TEXTURES:
Micro-Cubed Glass



AC-816MI
2-Panel Craftsman Camber
Mahogany Woodgrain Door
with 1-Lite

AC-819MI
Full Lite Mahogany
Woodgrain Sidelight

| CRAFTSMAN CAMBER | | |
|--------------------------|------|---|
| NICKEL VEIN WROUGHT IRON | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | | • |

| FULL SIDELIGHT | | |
|--------------------------|-----|-----|
| NICKEL VEIN WROUGHT IRON | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |




AC-814MI
2-Panel Craftsman Mahogany
Woodgrain Door with 1-Lite

AC-819MI
Full Lite Mahogany
Woodgrain Sidelight

| CRAFTSMAN | | |
|--------------------------|------|---|
| NICKEL VEIN WROUGHT IRON | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | | • |


| FULL SIDELIGHT | | |
|--------------------------|-----|-----|
| NICKEL VEIN WROUGHT IRON | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |

Oak Park



Patina Caming

GLASS TEXTURES: Crinkle, Thin Reed,
Seedy and Clear Bevels



506KP (Fits above 3'-0" door w/ (2) 12" sidelights)

507KP (Fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height

521KP (Fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



AC-816KP
2-Panel Craftsman Camber
Mahogany Woodgrain Door with 1-Lite

AC-819KP
Full Lite Mahogany
Woodgrain Sidelight

| CRAFTSMAN CAMBER | | |
|------------------|------|---|
| PATINA | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | | • |

| FULL SIDELIGHT | | |
|----------------|-----|-----|
| PATINA | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |




AC-814KP
2-Panel Craftsman Mahogany
Woodgrain Door with 1-Lite

AC-819KP
Full Lite Mahogany
Woodgrain Sidelight

| CRAFTSMAN | | |
|---------------|------|---|
| PATINA | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | | • |

| FULL SIDELIGHT | | |
|----------------|-----|-----|
| PATINA | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |

Providence



Satin Nickel Caming

GLASS TEXTURES: Granite Glass, Dark Amber Softwave, Thin Reed, Clear Bevels and Clear Jewels

Privacy Rating | 9



Rectangular | Satin Nickel | 521PC

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



AM8-826PC

3/4 Lite over 1-Panel Mahogany Woodgrain Door

AM8-562PC

Full Lite Mahogany Woodgrain Sidelight

| 8'0" 3/4 LITE | | |
|---------------|------|--|
| SATIN NICKEL | | |
| DOOR | 3'0" | |
| MAHOGANY 8'0" | • | |

| 8'0" SIDELIGHT | | | |
|----------------|-----|-----|--|
| SATIN NICKEL | | | |
| SIDELIGHT | 12" | 14" | |
| MAHOGANY 8'0" | • | • | |



AO-826PC

Full Lite Oak Woodgrain Door (Also available in Mahogany AM-826PC)

AO-560PC

Full Lite Oak Woodgrain Sidelight (Also available in Mahogany AM-560PC)

| FULL LITE | | |
|---------------|------|--|
| SATIN NICKEL | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | • | |
| OAK 6'8" | • | |

| FULL SIDELIGHT | | | |
|----------------|-----|-----|--|
| SATIN NICKEL | | | |
| SIDELIGHT | 12" | 14" | |
| MAHOGANY 6'8" | • | • | |
| OAK 6'8" | • | • | |



AO-828PC

3/4 Lite over 2-Panel Oak Woodgrain Door

AO-564PC

3/4 Lite Oak Woodgrain Sidelight

| 3/4 LITE | | |
|--------------|------|--|
| SATIN NICKEL | | |
| DOOR | 3'0" | |
| OAK 6'8" | • | |

| 3/4 SIDELIGHT | | | |
|---------------|-----|-----|--|
| SATIN NICKEL | | | |
| SIDELIGHT | 12" | 14" | |
| OAK 6'8" | • | • | |



AM-828PC

3/4 Lite over 1-Panel Mahogany Woodgrain Door

AM-564PC

3/4 Lite Mahogany Woodgrain Sidelight

| 3/4 LITE | | |
|---------------|------|--|
| SATIN NICKEL | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | • | |

| 3/4 SIDELIGHT | | | |
|---------------|-----|-----|--|
| SATIN NICKEL | | | |
| SIDELIGHT | 12" | 14" | |
| MAHOGANY 6'8" | • | • | |



AM-827PC

1/2 Lite over 2-Panel Mahogany Woodgrain Door (Also available in Oak AO-827PC)

AM-563PC

1/2 Lite Mahogany Woodgrain Sidelight (Also available in Oak AO-563PC)

| 1/2 LITE | | |
|---------------|------|--|
| SATIN NICKEL | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | • | |
| OAK 6'8" | • | |

| 1/2 SIDELIGHT | | | |
|---------------|-----|-----|--|
| SATIN NICKEL | | | |
| SIDELIGHT | 12" | 14" | |
| MAHOGANY 6'8" | • | • | |
| OAK 6'8" | • | • | |

Monticello



Nickel Vein Wrought Iron

GLASS TEXTURES: Arctic Glass

Privacy Rating | 9




Half Round | 516MT

(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | 521MT

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



AM8-826MT

3/4 Lite over 1-panel
Mahogany Woodgrain Door

AM8-562MT

Full Lite Mahogany
Woodgrain Sidelight

| 8'0" FULL LITE | |
|--------------------------|------|
| NICKEL VEIN WROUGHT IRON | |
| DOOR | 3'0" |
| MAHOGANY 8'0" | • |

| 8'0" SIDELIGHT | | |
|--------------------------|-----|-----|
| NICKEL VEIN WROUGHT IRON | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 8'0" | • | • |



AM-826MT

Full Lite Mahogany Woodgrain Door
(Also available in Oak AO-826MT)

AM-560MT

Full Lite Mahogany Woodgrain Sidelight
(Also available in Oak AO-560MT)

| FULL LITE | |
|--------------------------|------|
| NICKEL VEIN WROUGHT IRON | |
| DOOR | 3'0" |
| MAHOGANY 6'8" | • |
| OAK 6'8" | • |

| FULL SIDELIGHT | | |
|--------------------------|-----|-----|
| NICKEL VEIN WROUGHT IRON | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |
| OAK 6'8" | • | • |



AM-828MT

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

AM-564MT

3/4 Lite Mahogany
Woodgrain Sidelight

| 3/4 LITE | |
|--------------------------|------|
| NICKEL VEIN WROUGHT IRON | |
| DOOR | 3'0" |
| MAHOGANY 6'8" | • |

| 3/4 SIDELIGHT | | |
|--------------------------|-----|-----|
| NICKEL VEIN WROUGHT IRON | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |



AO-828MT

3/4 Lite over 2-Panel
Oak Woodgrain Door


AO-564MT

3/4 Lite Oak Woodgrain Sidelight

| 3/4 LITE | |
|--------------------------|------|
| NICKEL VEIN WROUGHT IRON | |
| DOOR | 3'0" |
| OAK 6'8" | • |

| 3/4 SIDELIGHT | | |
|--------------------------|-----|-----|
| NICKEL VEIN WROUGHT IRON | | |
| SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | • |

Bellview



Patina Caming

GLASS TEXTURES: Granite Glass, Hammered Glass and Clear Bevels

Privacy Rating | 7



Half Round | Patina | 516BV

(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



AO-828BV

3/4 Lite over 2-Panel Oak Woodgrain Door

AO-564BV

3/4 Lite Oak Woodgrain Sidelight

| 3/4 LITE | | 3/4 SIDELIGHT | | |
|----------|------|---------------|-----|-----|
| PATINA | | PATINA | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | OAK 6'8" | • | • |



AM8-826BV

3/4 Lite over 1-Panel Mahogany Woodgrain Door

AM8-562BV

Full Lite Mahogany Woodgrain Sidelight

| 8'0" FULL LITE | | 8'0" SIDELIGHT | | |
|----------------|------|----------------|-----|-----|
| PATINA | | PATINA | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| MAHOGANY 8'0" | • | MAHOGANY 8'0" | • | • |



AM-949BV

3-Panel Mahogany Woodgrain Door with 3/4 Oval Lite

| 3/4 OVAL | |
|---------------|------|
| PATINA | |
| DOOR | 3'0" |
| MAHOGANY 6'8" | • |



AM-828BV

3/4 Lite over 1-Panel Mahogany Woodgrain Door

AM-564BV

3/4 Lite Mahogany Woodgrain Sidelight

| 3/4 LITE | | 3/4 SIDELIGHT | | |
|---------------|------|---------------|-----|-----|
| PATINA | | PATINA | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |



AM-826BV

Full Lite Mahogany Woodgrain Door
(Also available in Oak AO-826BV)

AM-560BV

Full Lite Mahogany Woodgrain Sidelight
(Also available in Oak AO-560BV)

| FULL LITE | | | FULL SIDELIGHT | | |
|-----------|---------------|------|----------------|---------------|---------|
| PATINA | DOOR | 3'0" | PATINA | SIDELIGHT | 12" 14" |
| | MAHOGANY 6'8" | • | | MAHOGANY 6'8" | • • |
| | OAK 6'8" | • | | OAK 6'8" | • • |



AM-827BV

1/2 Lite over 2-Panel
Mahogany Woodgrain Door (Also available
in Oak AO-827BV)

AM-563BV

1/2 Lite Mahogany Woodgrain Sidelight
(Also available in Oak AO-563BV)

| 1/2 LITE | | | 1/2 SIDELIGHT | | |
|----------|---------------|------|---------------|---------------|---------|
| PATINA | DOOR | 3'0" | PATINA | SIDELIGHT | 12" 14" |
| | MAHOGANY 6'8" | • | | MAHOGANY 6'8" | • • |
| | OAK 6'8" | • | | OAK 6'8" | • • |




Castile



Brass Caming

GLASS TEXTURES: Iced Granite, Micro-Iced Granite, Clear Bevels, Brown Bevels and Clear Jewels

Privacy Rating | 7



Half Round | Brass | 516CS

(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass | 521CS

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



AO-826CS

Full Lite Oak Woodgrain Door
(Also available in Mahogany AM-826CS)

AO-560CS

Full Lite Oak Woodgrain Sidelight
(Also available in Mahogany AM-560CS)

| FULL LITE | | |
|---------------|------|--|
| BRASS | | |
| DOOR | 3'0" | |
| OAK 6'8" | • | |
| MAHOGANY 6'8" | • | |

| FULL SIDELIGHT | | |
|----------------|-----|-----|
| BRASS | | |
| SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | • |
| MAHOGANY 6'8" | • | • |



AM8-826CS

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

AM8-562CS

Full Lite Mahogany Woodgrain Sidelight

| 8'0" 3/4 LITE OVER 1-PANEL | | |
|----------------------------|------|--|
| BRASS | | |
| DOOR | 3'0" | |
| MAHOGANY 8'0" | • | |

| 8'0" SIDELIGHT | | |
|----------------|-----|-----|
| BRASS | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 8'0" | • | • |



AM-949CS

3-Panel Mahogany
Woodgrain Door with
3/4 Oval Lite

| 3/4 OVAL | | |
|---------------|------|--|
| BRASS | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | • | |



AM-828CS

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

AM-564CS

3/4 Lite Mahogany Woodgrain Sidelight

| 3/4 LITE | | |
|---------------|------|--|
| BRASS | | |
| DOOR | 3'0" | |
| MAHOGANY 6'8" | • | |

| 3/4 SIDELIGHT | | |
|---------------|-----|-----|
| BRASS | | |
| SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | • |



AO-828CS

3/4 Lite over 2-Panel Oak
Woodgrain Door

AO-564CS

3/4 Lite Oak Woodgrain Sidelight

| 3/4 LITE | | | 3/4 SIDELIGHT | | |
|----------|------|--|---------------|-----|-----|
| BRASS | | | BRASS | | |
| DOOR | 3'0" | | SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | | OAK 6'8" | • | • |



AO-827CS

1/2 Lite over 2-Panel Oak Woodgrain Door
(Also available in Mahogany AM-827CS)

AO-563CS

1/2 Lite Oak Woodgrain Sidelight
(Also available in Mahogany AM-563CS)


| 1/2 LITE | | | 1/2 SIDELIGHT | | |
|---------------|------|--|---------------|-----|-----|
| BRASS | | | BRASS | | |
| DOOR | 3'0" | | SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | | OAK 6'8" | • | • |
| MAHOGANY 6'8" | • | | MAHOGANY 6'8" | • | • |

See specifications for dimensions.

ARCHITECTURAL MAHOGANY WOODGRAIN AM-826CS DOOR



Harrington



Satin Nickel Caming

GLASS TEXTURES: Iced Granite, Clear Bevels, and Frosted Glass

Privacy Rating | 9



Half Round | Satin Nickel | 516HR

(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Satin Nickel | 578HR

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



AM8-826HR

3/4 Lite over 1-Panel Mahogany Woodgrain Door

AM8-562HR

Full Lite Mahogany Woodgrain Sidelights

| 8'0" 3/4 LITE | | | | 8'0" SIDELIGHT | | | |
|---------------|----------|------|---|----------------|-----------|------|-----|
| SATIN NICKEL | | | | SATIN NICKEL | | | |
| | DOOR | 3'0" | | | SIDELIGHT | 12" | 14" |
| | MAHOGANY | 8'0" | • | | MAHOGANY | 8'0" | • |



AM-949HR

3-Panel Mahogany Woodgrain Door with 3/4 Oval Lite

| 3/4 OVAL | | | |
|--------------|----------|------|---|
| SATIN NICKEL | | | |
| | DOOR | 3'0" | |
| | MAHOGANY | 6'8" | • |



AM-828HR

3/4 Lite over 1-Panel Mahogany Woodgrain Door

AM-564HR

3/4 Lite Mahogany Woodgrain Sidelights

| 3/4 LITE | | | | 3/4 SIDELIGHT | | | |
|--------------|----------|------|---|---------------|-----------|------|-----|
| SATIN NICKEL | | | | SATIN NICKEL | | | |
| | DOOR | 3'0" | | | SIDELIGHT | 12" | 14" |
| | MAHOGANY | 6'8" | • | | MAHOGANY | 6'8" | • |



AO-828HR

3/4 Lite over 2-Panel Oak Woodgrain Door

AO-564HR

3/4 Lite Oak Woodgrain Sidelight (not shown)

| 3/4 LITE | | | | 3/4 SIDELIGHT | | | |
|--------------|------|------|--|---------------|-----------|------|-----|
| SATIN NICKEL | | | | SATIN NICKEL | | | |
| | DOOR | 3'0" | | | SIDELIGHT | 12" | 14" |
| | OAK | • | | | OAK | 6'8" | • |



AO-826HR

Full Lite Oak Woodgrain Door
(Also available in Mahogany AM-826HR)

AO-560HR

Full Lite Oak Woodgrain Sidelights
(Also available in Mahogany AM-560HR)

| FULL LITE | | | FULL SIDELIGHT | | | |
|---------------|------|--|----------------|-----|-----|--|
| SATIN NICKEL | | | SATIN NICKEL | | | |
| DOOR | 3'0" | | SIDELIGHT | 12" | 14" | |
| OAK 6'8" | • | | OAK 6'8" | • | • | |
| MAHOGANY 6'8" | • | | MAHOGANY 6'8" | • | • | |



AO-827HR

1/2 Lite over 2-Panel Oak Woodgrain Door
(Also available in Mahogany AM-827HR)

AO-563HR

1/2 Lite Oak Woodgrain Sidelights
(Also available in Mahogany AM-563HR)


| 1/2 LITE | | | 1/2 SIDELIGHT | | | |
|---------------|------|--|---------------|-----|-----|--|
| SATIN NICKEL | | | SATIN NICKEL | | | |
| DOOR | 3'0" | | SIDELIGHT | 12" | 14" | |
| OAK 6'8" | • | | OAK 6'8" | • | • | |
| MAHOGANY 6'8" | • | | MAHOGANY 6'8" | • | • | |

See specifications for dimensions.

ARCHITECTURAL OAK WOODGRAIN AO-826HR DOOR




Alvarado



Black Chrome Caming

GLASS TEXTURES: Granite, Chinchilla Glass, Micro-Granite, Clear Bevels, and Clear Jewels

Privacy Rating | 7



Segment Head | Black Chrome | 532AL
(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Black Chrome | 521AL
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



AO-828AL
3/4 Lite over 2-Panel Oak
Woodgrain Door

AO-564AL
3/4 Lite Oak Woodgrain Sidelight

| 3/4 LITE | | 3/4 SIDELIGHT | | |
|--------------|------|---------------|-----|-----|
| BLACK CHROME | | BLACK CHROME | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | OAK 6'8" | • | • |



AM8-826AL
3/4 Lite over 1-Panel
Mahogany Woodgrain Door

AM8-562AL
Full Lite Mahogany
Woodgrain Sidelight

| 8'0" 3/4 LITE | | 8'0" SIDELIGHT | | |
|---------------|------|----------------|-----|-----|
| BLACK CHROME | | BLACK CHROME | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| MAHOGANY 8'0" | • | MAHOGANY 8'0" | • | • |



AO-826AL
Full Lite Oak Woodgrain Door
(Also available in Mahogany AM-826AL)

AO-560AL
Full Lite Oak Woodgrain Sidelight
(Also available in Mahogany AM-560AL)


| FULL LITE | | FULL SIDELIGHT | | |
|---------------|------|----------------|-----|-----|
| BLACK CHROME | | BLACK CHROME | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| OAK 6'8" | • | OAK 6'8" | • | • |
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |



AM-828AL
3/4 Lite over 1-Panel
Mahogany Woodgrain Door

AM-564AL
3/4 Lite Mahogany
Woodgrain Sidelight

| 3/4 LITE | | 3/4 SIDELIGHT | | |
|---------------|------|---------------|-----|-----|
| BLACK CHROME | | BLACK CHROME | | |
| DOOR | 3'0" | SIDELIGHT | 12" | 14" |
| MAHOGANY 6'8" | • | MAHOGANY 6'8" | • | • |





DESIGN-PRO OAK WOODGRAIN DO-686 DOOR, DO-690 SIDELIGHTS WITH JACINTO GLASS

DESIGN-PRO DOOR DESIGNS

Each Design-Pro door is created to look like wood and is built with strength, stability and reliability in mind. In fact, these doors are made to stay attractive longer, with less maintenance in any climate. We've created many versatile designs in Mahogany or Oak woodgrain. Our doors coordinate with a full range of decorative glass types and sidelights. Check with your local dealer for glass, door design and size availability.

Each Design-Pro door is backed by a limited warranty; review it at www.jeld-wen.com.



DO-632RA
Design-Pro Oak
Woodgrain



DO-686EN
Design-Pro Oak
Woodgrain



DM-20
Design-Pro Mahogany Woodgrain

Oak Woodgrain Texture Door Designs



DO-100
Flush Oak
Woodgrain Door
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO8-100*
3'0" x 8'0"



DO-686
Full Lite Oak
Woodgrain Door
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO-687
2'6" x 6'8"

DO8-496
2'6" x 8'0"

DO8-612*
3'0" x 8'0"



DO-919
Flush with Oval Full Lite
Oak Woodgrain Door
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DO8-919*
3'0" x 8'0"



DOA-607*
3/4 Lite over 2-Panel Oak
Woodgrain Door
3'0" x 6'8"

*Note: Shown with 2-1/2"
lock rail and reduced top rail
of 4-1/8"



DO-684
1/2 Lite over 2-Panel Oak
Woodgrain Door
2'8" x 6'8" (23" x 37" opening)
2'10" x 6'8" (23" x 37" opening)
3'0" x 6'8" (23" x 37" opening)

DO-672
2'6" x 6'8" (21" x 37" opening)



DO-30
3-Panel Eyebrow Top
Oak Woodgrain Door
3'0" x 6'8"



DO-949
3-Panel Oak Woodgrain
Door with 3/4 Oval Lite
3'0" x 6'8"



DO-40
4-Panel Oak
Woodgrain Door
3'0" x 6'8"



DO-692
2 Lite over 2-Panel Oak
Woodgrain Door
3'0" x 6'8"



DO-40BT
4-Panel Blank Top
Oak Woodgrain Door
3'0" x 6'8"



DO-648
4-Panel Oak Woodgrain
Door with Camber Top
3'0" x 6'8"



DO-659
4-Panel Oak Woodgrain
Door with Sunburst
3'0" x 6'8"



DO-637
Half-Round Top Lite
over 2-Panel Oak
Woodgrain Door
3'0" x 6'8"



DO-60
6-Panel Oak
Woodgrain Door
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-80
8-Panel Center Arch Oak
Woodgrain Door
3'0" x 6'8"

DO8-60
3'0" x 8'0"



DO-632
8-Panel Center Arch Oak
Woodgrain Door with
Center Lite
3'0" x 6'8"



DO-90
9-Panel Oak
Woodgrain Door
3'0" x 6'8"



DO-640
9-Panel Oak Woodgrain
Door with Center Lite
3'0" x 6'8"



DO-690
Full Lite Oak
Woodgrain
Sidelight
1'0" x 6'8"
1'2" x 6'8"

DO8-493
1'0" x 8'0"
1'2" x 8'0"



DOA-422
3/4 Lite Oak
Woodgrain
Sidelight
1'0" x 6'8"
1'2" x 6'8"



DO-692
1/2 Lite Oak
Woodgrain
Sidelight
10" x 6'8"***
1'0" x 6'8"
1'2" x 6'8"

Door designs shown with clear glass inserts. Low-E glass available.

For complete glass offering see pages 36 – 76.

See specifications for dimensions.

***10" sidelights accommodate 7" glass insert only.

Mahogany Woodgrain Texture Door Designs



DM-100
Flush Mahogany
Woodgrain Door
3'0" x 6'8"

DM8-100
3'6" x 8'0"



DM-686
Full Lite Mahogany
Woodgrain Door
3'0" x 6'8"


DM8-686
3'0" x 8'0"



DM-919
Flush Mahogany Woodgrain
Door with Oval Full Lite
3'0" x 6'8"



DM-607
3/4 Lite over 1-Panel
Mahogany Woodgrain Door
3'0" x 6'8"



DM-684
1/2 Lite over 1-Panel
Mahogany Woodgrain Door
3'0" x 6'8"



DM-20
2-Panel Continental™
Mahogany Woodgrain Door
3'0" x 6'8"

DM8-20*
3'0" x 8'0"



DM-690
Full Lite
Mahogany
Woodgrain
Sidelight
1'0" x 6'8"
1'2" x 6'8"

DM8-493
1'0" x 8'0"
1'2" x 8'0"




DM-422
3/4 Lite
Mahogany
Woodgrain
Sidelight
1'0" x 6'8"
1'2" x 6'8"



DM-692
1/2 Lite
Mahogany
Woodgrain
Sidelight
1'0" x 6'8"
1'2" x 6'8"

Door designs shown with clear glass inserts. Low-E glass available.
For complete glass offering see pages 36 – 76. See specifications for dimensions.
*Check specifications on pages 98 – 99 for 8'0" panel sizes.





SMOOTH-PRO DOORS SP-686 WITH ALLURE GLASS

SMOOTH-PRO DOOR DESIGNS

Each Smooth-Pro door is made to be durable, energy efficient and affordable. The smooth surface can be painted any color, and designs can be enhanced with various glass types. In fact, all standard glass and the designs on the following pages fit these doors. Check with your local dealer for glass, door design and size availability.

Each Smooth-Pro door is backed by a limited warranty; review it at www.jeld-wen.com.



SP-949BT
Smooth-Pro 3-Panel
with Oval Lite




SP-632RA
Smooth-Pro 8-Panel
Center Arch



SP-640HM
Smooth-Pro 9-Panel
with Center Lite



Smooth-Pro Door Designs



SP-100
Flush Smooth Door
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP8-100
3'0" x 8'0"



SP-686
Full Lite Smooth Door
2'8" x 6'8"
(23" x 65" opening)
2'10" x 6'8"
(23" x 65" opening)
3'0" x 6'8"
(23" x 65" opening)

SP-687
2'6" x 6'8" (21" x 65" opening)

SP8-496
2'6" x 8'0" (21" x 81" opening)

SP8-612
3'0" x 8'0" (23" x 81" opening)



SP-919
Full Oval Lite
Smooth Door
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-607
3/4 Lite over 1-Panel
Smooth Door
3'0" x 6'8"



SP-684
1/2 Lite over 2-Panel
Smooth Door
2'8" x 6'8" (23" x 37" opening)
2'10" x 6'8" (23" x 37" opening)
3'0" x 6'8" (23" x 37" opening)

SP-672
2'6" x 6'8" (21" x 37" opening)



SP-30
3-Panel Smooth Door
3'0" x 6'8"




SP-949
3/4 Oval Lite 3-Panel
Smooth Door
3'0" x 6'8"



SPA-607*
3/4 Lite over 2-Panel
Smooth Door
3'0" x 6'8"


*Note: Shown with 2-1/2" lock rail
and reduced top rail of 4-1/8"



SP-40
4-Panel Smooth Door
3'0" x 6'8"




SP-692
2 Lite over 2-Panel
Smooth Door
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




SP-40BT
4-Panel Blank Top
Smooth Door
3'0" x 6'8"



SP-659
4-Panel Smooth Door
with Sunburst
3'0" x 6'8"



SP-648
4-Panel Smooth Door
with Camber Top
3'0" x 6'8"



SP-60
6-Panel Smooth Door
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-80
8-Panel Center Arch
Smooth Door
3'0" x 6'8"

SP8-60*
3'0" x 8'0"



SP-632
8-Panel Center Arch
Smooth Door with
Center Lite
3'0" x 6'8"



SP-90
9-Panel Smooth Door
3'0" x 6'8"



SP-640
9-Panel Smooth Door
with Center Lite
3'0" x 6'8"



SP-690
Full Lite
Smooth
Sidelight
10" x 6'8" **
1'0" x 6'8"
1'2" x 6'8"

SP8-493
1'0" x 8'0"
1'2" x 8'0"



SP-422
3/4 Lite
Smooth
Sidelight
1'0" x 6'8"
1'2" x 6'8"
Bottom
panel is
10-1/2" tall.
Matches
SP-607
SP-949



SPA-422
3/4 Lite
Smooth
Sidelight
1'0" x 6'8"
1'2" x 6'8"
Bottom
panel is
16-1/2" tall.
Matches
SPA-607
SP-949



SP-692
1/2 Lite
Smooth
Sidelight
10" x 6'8" **
1'0" x 6'8"
1'2" x 6'8"

*Check specifications on page 100 for 8'0" panel sizes.

**10" sidelights accommodate 7" glass insert only.



STEEL DOOR DESIGNS

Every JELD-WEN® Steel exterior door is durable and affordable. They include wood stiles and rails with mitered top corners to prevent water absorption. Galvanized exterior door facings are factory-primed with neutral, low-sheen, baked-on enamel primer for easy finishing. Our wide range of steel doors includes designs with beautiful decorative glass, popular grille patterns, textured glass, or internal shades or blinds. Additionally, all standard glass designs fit these doors. Please check with your local dealer for glass, door design and size availability.

Each JELD-WEN Steel door is backed by a 10-year warranty; review it at www.jeld-wen.com.

Contours™ Designs

These doors feature a tough, 24-gauge galvanized steel skin that features our exclusive beaded sticking profile. They're available with an optional steel edge that delivers added security and a fire rating of up to 90 minutes.

Energy Saver® Designs

In addition to a strong, 24-gauge galvanized steel door facing, each of these doors is available with an optional steel edge for increased security and a fire rating of up to 90 minutes.

FiniShield® Designs

These economical steel doors have 25-gauge steel skins with two coats of baked-on enamel and are covered in a prefinished seven-mil layer of oak-textured vinyl.

Gladiator® Designs

Our Gladiator collection includes construction-grade steel doors with durable 25-gauge steel skins.



Steel Door Designs

Please check specifications on pages 101 – 102 for sizes and availability.



ES-100

Flush (Also available in 8'0" ES8-100)
CT, ES, FS, GD
2'8" x 6'8"
3'0" x 6'8"



ES-686

Full Lite Door (Also available in 8'0" ES8-686)
CT, ES, FS, GD
2'8" x 6'8"
3'0" x 6'8"



ES-919

Full Oval Lite Door
CT, ES, FS, GD
2'8" x 6'8"
3'0" x 6'8"



CTA-607

3/4 Lite over 2 Panels
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"

*Note: Shown with 2-1/2" lock rail and reduced top rail of 4-1/8"




CT-30

3-Panel Door
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



CT-949

3-Panel Door with 3/4 Oval Glass Lite
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



ES-40

4-Panel Door
ES
2'8" x 6'8"
3'0" x 6'8"



ES-692

2 Lite over 2-Panel Smooth Door
ES
2'8" x 6'8"
3'0" x 6'8"



ES-PROVINCIAL

4-Panel Door
ES
2'8" x 6'8"
3'0" x 6'8"



CT-40BT

4-Panel Door Blank Top
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



GD-659
4-Panel Door
with Sunburst
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



CT-648
4-Panel Door
Camber Top
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



ES-686 CROSSBUCK
Door with Glass Insert
ES
2'8" x 6'8"
3'0" x 6'8"



CT-60
6-Panel Door (Also
available in 8'0" CT8-60)
CT, FS, GD
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
ES
3'0" x 6'8"



GD-684
1/2 Lite over 2 Panels
CT, FS, GD
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"
ES
3'0" x 6'8"



CT-80
8-Panel Center Arch
CT, ES, FS
2'8" x 6'8"
3'0" x 6'8"



CT-623
8-Panel Center Arch
with Center Lite
CT, ES, FS
2'8" x 6'8"
3'0" x 6'8"



FS-90
9-Panel Door
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



FS-640
9-Panel Door with
Center Lite
CT, FS, GD
2'8" x 6'8"
3'0" x 6'8"



FS-690CL
Sidelight
CT, ES,
FS, GD
1'0" x 6'8"
1'2" x 6'8"



GD-422
3-Panel
Matching
Sidelight
CT, ES, FS
1'0" x 6'8"
1'2" x 6'8"




CT-692
1/2 Lite
Sidelight
CT, ES, FS, GD
1'0" x 6'8"
1'2" x 6'8"

Door designs shown with clear glass inserts. Low-E glass available.

For complete glass offering see pages 36 – 76.

Standard sizes shown. See dealer for additional sizing availability. See specifications for dimensions.

Acacia



Black Chrome Caming

GLASS TEXTURES: Gray Softwave,
Thin Reed and Gray Eaton

Privacy Rating | 8



Rectangular | Black Chrome | 507AA

(fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



DO8-612AA

Full Lite Oak Woodgrain Door

DM, DO, SP

3'0" x 8'0"

DO8-493AA

Full Lite Oak Woodgrain Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



SP-687AA

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686AA

Full Lite Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

SP-690AA

Full Lite Smooth Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"


DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"

Fleur-de-lis



Satin Nickel Caming



GLASS TEXTURES: Pale Blue Softwave, Clear English Muffle and Clear Bevels

Privacy Rating | 7



Segment Head | Satin Nickel | 532FL

(fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



SP-686FL

Full Lite
Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

SP-690FL

Full Lite Smooth Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"



DM-607FL

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422FL (not shown)

3/4 Lite Mahogany
Woodgrain Sidelight

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DOA-607FL**

3/4 Lite over 2-Panel Oak
Woodgrain Door

DO, SP

3'0" x 6'8"

DOA-422FL**

3/4 Lite Oak Woodgrain Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.

**See specifications for dimensions.



Vienna



Black Chrome Caming

GLASS TEXTURES: Hammered, Thin Reed, Gray Software and Silkscreen

Privacy Rating | 8



Half Round | Black Chrome | 516VA

(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



SP-686VA

Full Lite Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DO-919VA

Flush Oak Woodgrain
with Full Oval Lite Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-949VA

3-Panel with
3/4 Oval Lite
Smooth Door

DO, SP

3'0" x 6'8"



SP-690VA

Full Lite
Smooth Sidelight

DO, SP

10" x 6'8"*

1'0" x 6'8"


1'2" x 6'8"

DM

1'0" x 6'8"

1'2" x 6'8"

Paris



Patina Caming

GLASS TEXTURES: Arctic, Clear Bevels and Clear Renaissance


Privacy Rating | 6



Rectangular | Patina

507PS (fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

521PS (fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Half Round | Patina | 516PS

(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



SP8-612PS

Full Lite Smooth Door

DM, DO, SP

3'0" x 6'8"

SP8-493PS

Full Lite Smooth Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



DO-686PS

Full Lite Oak
Woodgrain Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DM-607PS

3/4 Lite over
1-Panel Mahogany
Woodgrain Door

DM, SP

3'0" x 6'8"



DM-422PS

3/4 Lite
Mahogany
Woodgrain
Sidelight

DM, SP

1'0" x 6'8"

1'2" x 6'8"



SPA-607PS**

3/4 Lite over
2-Panel
Smooth Door

DO, SP

3'0" x 6'8"



SPA-422PS**

3/4 Lite
Smooth
Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



DM-690PS

Full Lite Mahogany
Woodgrain Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*


1'0" x 6'8"

1'2" x 6'8"

Glass designs also available for steel doors. See pages 98 – 102 for sizes and availability.

*10" sidelights accommodate 7" glass insert only. **See specifications for dimensions.

Expressions




Brass Caming Satin Nickel Caming

GLASS TEXTURES: Granite, Clear Bevels and Gray Renaissance

Privacy Rating | 6



Expressions Severe Weather® Doorglass available.
See Severe Weather section for details. For hurricane-rated door systems, all system components have to be rated.



Half Round | Brass or Satin Nickel | 516EX
(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Rectangular | Brass or Satin Nickel
506EX (fits above 3'-0" door w/ (2) 12" sidelights)
507EX (fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height
521EX (fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



Segment Head | Brass or Satin Nickel | 532EX
(fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Brass Only | 517EX
(fits above 3'-0" door) — 13-1/2" frame height



SP-687EX (brass only)
Full Lite
Smooth Door
DO, SP
2'6" x 6'8"

SP-686EX
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
DM
3'0" x 6'8"



SP-690EX
Full Lite
Smooth Sidelight
DM
1'0" x 6'8"
1'2" x 6'8"
DO, SP
10" x 6'8"*
1'0" x 6'8"
1'2" x 6'8"



DO-919EX
Flush Oak Woodgrain
with Full Oval Lite Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
DM
3'0" x 6'8"



SPA-607EX**
3/4 Lite over 2-Panel
Smooth Door
DO, SP
3'0" x 6'8"



SPA-422EX**
3/4 Lite Smooth
Sidelight
DO, DM, SP
1'0" x 6'8"
1'2" x 6'8"



DO8-612EX

Full Lite Oak Woodgrain Door

DM, DO, SP

3'0" x 8'0"

DO8-493EX

Full Lite Oak Woodgrain Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



SP-684EX

1/2 Lite over 2-Panel

Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



SP-692EX

1/2 Lite

Smooth Sidelight

DO, SP

10" x 6'8" *


1'0" x 6'8"

1'2" x 6'8"

DM

1'0" x 6'8"

1'2" x 6'8"



DM-607EX

3/4 Lite over

1-Panel Mahogany

Woodgrain Door

DM, SP

3'0" x 6'8"



DM-422EX

3/4 Lite

Mahogany

Woodgrain

Sidelight

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DM-684EX

1/2 Lite over 1-Panel

Mahogany Woodgrain Door

DM

3'0" x 6'8"



DO-692EX

2 Lite over 2-Panel Oak

Woodgrain Door

DO

3'0" x 6'8"

SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

Cadence



Patina Caming

GLASS TEXTURES: Clear Bevel Clusters, Hammered and Ripple Glass

Privacy Rating | 6



Cadence Severe Weather® Doorglass available. See Severe Weather section for details. For hurricane-rated door systems, all system components have to be rated.



Half Round | Patina | 516CD

(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Segment Head | Patina | 532CD

(fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



DO-687CD

Full Lite Oak
Woodgrain Door

DO, SP

2'6" x 6'8"

DO-686CD

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DO-690CD

Full Lite Oak
Woodgrain Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"



SP-919CD

Flush Smooth with
Full Oval Lite Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-949CD

3-Panel with 3/4 Oval
Lite Smooth Door

DO, SP

3'0" x 6'8"



DO8-612CD
Full Lite Oak Woodgrain Door
DM, DO, SP
3'0" x 8'0"

DO8-493CD
Full Lite Oak Woodgrain Sidelight
DM, DO, SP
1'0" x 8'0"
1'2" x 8'0"



DM-607CD
3/4 Lite over 1-Panel
Mahogany Woodgrain Door
DM, SP
3'0" x 6'8"

DM-422CD
3/4 Lite Woodgrain Sidelight
DM, SP
1'0" x 6'8"
1'2" x 6'8"




SPA-607CD**
3/4 Lite over 2-Panel
Smooth Door
DO, SP
3'0" x 6'8"

SPA-422CD**
3/4 Lite Smooth Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.



Cirrus



3/8" Wide Chrome Caming

GLASS TEXTURES: Granite and Thin Reed

Privacy Rating | 8



Rectangular | Wide Chrome | 507CR

(fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



SP8-612CR

Full Lite Smooth Door

DM, DO, SP

3'0" x 8'0"

SP8-493CR-LEFT

SP8-493CR-RIGHT

Full Lite Smooth Sidelights

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



DO-687CR

Full Lite Oak

Woodgrain Door

DO, SP

2'6" x 6'8"

DO-686CR

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

DO-690CR-LEFT

DO-690CR-RIGHT

Full Lite Oak Woodgrain Sidelights

DM

1'0" x 6'8"

1'2" x 6'8"


DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"

Allure



Chrome Caming

GLASS TEXTURES: Sandblasted, Clear Renaissance and Clear Bevels

Privacy Rating | 7



Rectangular | Wide Chrome | 507AR

(fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



DO8-612AR-LEFT & AR-RIGHT

Full Lite Oak Woodgrain Doors

DM, DO, SP

3'0" x 8'0"

DO8-493AR

Full Lite Oak Woodgrain Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



SP-687AR-LEFT & AR-RIGHT

Full Lite Smooth Doors

DO, SP

2'6" x 6'8"

SP-686AR-LEFT & AR-RIGHT

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

SP-690AR

Full Lite

Smooth Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"

Glass designs also available for steel doors. See pages 98 – 102 for sizes and availability.

*10" sidelights accommodate 7" glass insert only.


Entropy



Black Chrome Caming


GLASS TEXTURES: Granite, Glacier, Clear Bevels and Clear Renaissance

Privacy Rating | 5



Half Round | Black Chrome | 516EN

(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



SP8-612EN

Full Lite Smooth Door

DM, DO, SP

3'-0" x 8'-0"


SP8-493EN-LEFT & EN-RIGHT

Full Lite Smooth Sidelights

DM, DO, SP

1'-0" x 8'-0"

1'-2" x 8'-0"



DO-687EN

Full Lite Oak

Woodgrain Door

DO, SP

2'-6" x 6'-8"

DO-686EN

DO, SP

2'-8" x 6'-8"

2'-10" x 6'-8"

3'-0" x 6'-8"

DM

3'-0" x 6'-8"

DO-690EN-LEFT

DO-690EN-RIGHT

Full Lite Oak Woodgrain Sidelights

DM

1'-0" x 6'-8"

1'-2" x 6'-8"


DO, SP

10" x 6'-8"*

1'-0" x 6'-8"

1'-2" x 6'-8"

Interpretations



Patina Caming



GLASS TEXTURES: Midnight Blue and Sage Green English Muffle, Granite, Clear Softwave and Clear Bevels



Rectangular | Patina

506IT (fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

507IT (fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



SP-687IT

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686IT

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DO-919IT

Full Oval Lite Oak Woodgrain Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DO-690IT

Full Lite Oak Woodgrain Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DM

3'0" x 6'8"

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"



See specifications for dimensions.

*10" sidelights accommodate 7" glass insert only.

Legacy Master




Brass Caming



Patina Caming

GLASS TEXTURES: Clear Cluster Bevels and Gray and Clear Renaissance

Privacy Rating | 7



Rectangular | Brass

506LM (fits above 3'-0" door w/ (2) 12" sidelights)

507LM (fits above 3'-0" door w/ (2) 14" sidelights)

15-1/2" frame height

Rectangular | Patina

506LM (fits above 3'-0" door w/ (2) 12" sidelights)

507LM (fits above 3'-0" door w/ (2) 14" sidelights)

15-1/2" frame height

521LM (fits above 3'-0" door w/ (2) 12" sidelights)

13-1/2" frame height



Elliptical | Brass Only | 503LM

(fits above 3'-0" door w/ (2) 14" sidelights)

15-1/2" frame height



Patina Only | 517LM

(fits above 3'-0" door) — 13-1/2" frame height



DO8-612LM

Full Lite Oak Woodgrain Door

DM, DO, SP

3'0" x 8'0"

DO8-493LM

Full Lite Oak Woodgrain Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



SP-687LM (brass only)

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686LM

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DM-607LM

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422LM

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DOA-607LM**

3/4 Lite over 2-Panel Oak
Woodgrain Door

DO, SP

3'0" x 6'8"


DOA-422LM**

3/4 Lite Sidelight (not shown)

DO, SP

1'0" x 6'8"

1'2" x 6'8"



DO-637LM

Half-Round Top Lite
over 2-Panel Oak
Woodgrain Door

DO, SP

3'0" x 6'8"




SP-949LM
3-Panel with 3/4 Oval Lite
Smooth Door
DO, SP
3'0" x 6'8"

SP-690LM
Full Lite Smooth Sidelight
DM DO, SP
1'0" x 6'8" 10" x 6'8" *
1'2" x 6'8" 1'0" x 6'8"
 1'2" x 6'8"



DM-684LM
1/2 Lite over
1-Panel Mahogany
Woodgrain Door
DM
3'0" x 6'8"



SP-692LM
2 Lite over 2-Panel
Smooth Door
DO
3'0" x 6'8"
SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-684LM
1/2 Lite over
2-Panel Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




DO-692LM
1/2 Lite Oak
Woodgrain
Sidelight
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



SPA-422LM**
3/4 Lite
Smooth
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Silhouettes



Nickel Caming

GLASS TEXTURES: Sandblasted Bevels and Iced Granite

Privacy Rating | 7



Rectangular | Nickel | 507SI

(fits above 3'-0" door w/ (2) 14" sidelights) —15-1/2" frame height



DO8-612SI

Full Lite Oak Woodgrain Door

DM, DO, SP

3'0" x 8'0"

DO8-493SI

Full Lite Oak Woodgrain Sidelight

DM, DO, SP

1'0" x 6'8"

1'2" x 6'8"



SP-687SI

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686SI

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

SP-690SI

Full Lite Smooth Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"


1'2" x 6'8"

Jacinto




Wrought Iron

GLASS TEXTURES: Arctic




Jacinto Severe Weather® Doorglass available. See Severe Weather section for details. For Hurricane rated door systems, all system components have to be rated.



Rectangular | Wrought Iron
507JA (fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height
521JA (fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment Head | Wrought Iron | 532JA
(fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



SP8-612JA
Full Lite Smooth Door
DM, DO, SP
3'0" x 8'0"

SP8-493JA
Full Lite Smooth Sidelight
DM, DO, SP
1'0" x 8'0"
1'2" x 8'0"



DO-687JA
Full Lite Oak Woodgrain Door
DO, SP
2'6" x 6'8"


DO-686JA
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
DM
3'0" x 6'8"

DO-690JA
Full Lite Oak Woodgrain Sidelight
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



SPA-607JA**
3/4 Lite over 2-Panel Smooth Door
DO, SP
3'0" x 6'8"

SPA-422JA**
3/4 Lite Smooth Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"



DM-607JA
3/4 Lite over 1-Panel Mahogany Woodgrain Door
DM, SP
3'0" x 6'8"

DM-422JA
3/4 Lite Sidelight (not shown)
DM, SP
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.


Avant



Black Chrome Caming

GLASS TEXTURES: Clear Cluster Bevels, Eaton and Granite

Privacy Rating | 6



Elliptical | Black Chrome | 578AV

(fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



SP8-612AV

Smooth Full Lite Door

DM, DO, SP

3'0" x 8'0"

SP8-493AV

Smooth Full Lite Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



DO-687AV

Full Lite Oak
Woodgrain Door

DO, SP

2'6" x 6'8"

DO-686AV

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DM-607AV

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"


DM-422AV

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



SPA-607AV**

3/4 Lite over 2-Panel
Smooth Door

DO, SP

3'0" x 6'8"




DM-684AV

1/2 Lite over 1-Panel
Mahogany Woodgrain Door

DM

3'0" x 6'8"



SP-684AV
1/2 Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-692AV
2 Lite over 2-Panel Oak
Woodgrain Door
DO
3'0" x 6'8"
SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690AV
Full Lite
Smooth
Sidelight
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



DOA-422AV**
3/4 Lite Oak
Woodgrain
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"



SP-692AV
1/2 Lite
Smooth Sidelight
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Impressions

GLASS TEXTURES: Iced Granite, Clear Bevels, Clear Renaissance and Streamed

Privacy Rating | 7



Impressions Severe Weather® Doorglass available. See Severe Weather section for details. For hurricane-rated door systems, all system components have to be rated.



Rectangular | 507LI

(fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



DO8-612LI

Full Lite Oak Woodgrain Door

DM, DO, SP

3'0" x 8'0"

DO8-493LI

Full Lite Oak Woodgrain Sidelight

DM, DO

1'0" x 8'0"

1'2" x 8'0"



SP-687LI

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686LI

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"




SP-949LI

3-Panel with 3/4 Oval

Lite Smooth Door

DO, SP

3'0" x 6'8"



DM-684LI

1/2 Lite over 1-Panel

Mahogany Woodgrain Door

DM

3'0" x 6'8"



SP-684LI
1/2 Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-659LI
Sunburst over 4-Panel
Smooth Door
DO, SP
3'0" x 6'8"



DO-692LI
2 Lite over 2-Panel Oak
Woodgrain Door
DO
3'0" x 6'8"
SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-690LI
Full Lite
Smooth
Sidelight
DM
1'0" x 6'8"
1'2" x 6'8"
DO, SP
10" x 6'8"*
1'0" x 6'8"
1'2" x 6'8"




SP-692LI
1/2 Lite
Smooth Sidelight
DO, SP
10" x 6'8"*
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"

Glass designs also available for steel doors. See pages 98 – 102 for sizes and availability.
See specifications for dimensions.

*10" sidelights accommodate 7" glass insert only.

Oak Park



Patina Caming

GLASS TEXTURES: Crinkle, Seedy,
Thin Reed and Clear Bevels

Privacy Rating | 5




Rectangular | Patina

506KP (fits above 3'-0" door w/ (2) 12" sidelights)

507KP (fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height

521KP (fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



SP8-612KP

Smooth Full Lite Door

DM, DO, SP

3'0" x 8'0"

SP8-493KP

Smooth Full Lite Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



DO-687KP

Oak Woodgrain

Full Lite Door

DO, SP

2'6" x 6'8"

SP-686KP

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

DO-690KP

Full Lite Oak

Woodgrain Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"



DM-607KP

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422KP

3/4 Lite Sidelight
(not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DOA-607KP**

3/4 Lite over 2-Panel
Oak Woodgrain Door

DO, SP

3'0" x 6'8"

DOA-422KP**

3/4 Lite Oak
Woodgrain Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"




DM-684KP

1/2 Lite over
1-Panel Mahogany
Woodgrain Door

DM

3'0" x 6'8"



SP-684KP

1/2 Lite
over 2-Panel
Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



SP-692KP

1/2 Lite
Smooth Sidelight

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"

DM

1'0" x 6'8"

1'2" x 6'8"

Escapades



Nickel Caming

GLASS TEXTURES: Clear Bevel Clusters, Slush, Frosted and Clear Renaissance

Privacy Rating | 5



Rectangular | Nickel

507EP (fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

521EP (fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



DOA-607EP**

3/4 Lite over 2-Panel
Oak Woodgrain Door

DO, SP

3'0" x 6'8"



DOA-422EP**

3/4 Lite Oak
Woodgrain Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



SP-687EP

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686EP

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-684EP

1/2 Lite over 2-Panel
Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



DO-690EP

Full Lite Oak
Woodgrain
Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"



DO-692EP

1/2 Lite Oak
Woodgrain
Sidelight

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"

DM

1'0" x 6'8"

1'2" x 6'8"



DM-684EP

1/2 Lite over
1-Panel Mahogany
Woodgrain Door

DM

3'0" x 6'8"



DM-607EP

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422EP

3/4 Lite Sidelight
(not shown)

DM, SP


1'0" x 6'8"

1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.

**See specifications for dimensions.


Monterey



Satin Nickel Caming

GLASS TEXTURES: Micro-Granite, Granite and Clear Bevels

Privacy Rating | 7



Rectangular | Satin Nickel | 507MO

(fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



SP-686MO

Full Lite
Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

SP-690MO

Full Lite Smooth
Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"



DOA-607MO**

3/4 Lite over 2-Panel
Oak Woodgrain Door

DO, SP

3'0" x 6'8"

DOA-422MO**

3/4 Lite Oak
Woodgrain Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



DM-607MO

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422MO

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"

Catalina




Bronze Vein Wrought Iron

GLASS TEXTURES: Micro-Granite

Privacy Rating | 9



Half Round | Bronze Vein Wrought Iron | 516CA
(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



DESIGN-PRO, SMOOTH-PRO AND STEEL DOORS



DO8-612CA


Full Lite Oak
Woodgrain Door

DM, DO, SP
3'0" x 8'0"

DO8-493CA

Full Lite Oak
Woodgrain Sidelight

DM, DO, SP
1'0" x 8'0"
1'2" x 8'0"



SP-686CA

Full Lite
Smooth Door

DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
DM
3'0" x 6'8"

SP-690CA

Full Lite
Smooth Sidelight

DM, SP
1'0" x 6'8"
1'2" x 6'8"
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Radiant Hues



Nickel Caming

GLASS TEXTURES: Grey and Clear Renaissance and Clear Bevels

Privacy Rating | 6



Radiant Hues Severe Weather® Doorglass available.
See Severe Weather section for details. For hurricane-rated door systems, all system components have to be rated.



Rectangular | Patina

507RA (fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

521RA (fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Rectangular | Patina | 517RA

(fits above 3'-0" door) — 13-1/2" frame height



DO8-612RA

Full Lite Oak Woodgrain Door

DO, DM, SP

3'0" x 8'0"

DO8-493RA

Full Lite Oak Woodgrain Sidelight

DO, DM, SP

1'0" x 8'0"

1'2" x 8'0"



DM-607RA

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422RA

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DM-684RA

1/2 Lite over
1-Panel Mahogany
Woodgrain Door

DM

3'0" x 6'8"



DO-692RA

2 Lite over 2-Panel
Oak Woodgrain
Door

SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DO

3'0" x 6'8"



DO-632RA

Center Arch 8-Panel
Oak Woodgrain Door

DO, SP

3'0" x 6'8"



SP-684RA
1/2 Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

SP-692RA
1/2 Lite Smooth
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



SPA-607RA**
3/4 Lite over
2-Panel
Smooth Door
DO, SP
3'0" x 6'8"



SPA-422RA**
3/4 Lite
Smooth
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"



SP-949RA
3-Panel with 3/4 Oval
Lite Smooth Door
DO, SP
3'0" x 6'8"



SP-686RA
Full Lite
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
DM
3'0" x 6'8"



SP-690RA
Full Lite Smooth
Sidelight
DM
1'0" x 6'8"
1'2" x 6'8"
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Heirlooms



Brass Caming Satin Nickel Caming

GLASS TEXTURES: Glue Chip, Clear Cluster Bevels and Granite

Privacy Rating | 6



Heirlooms Severe Weather®
Doorglass available. See Severe Weather section for details.
For hurricane-rated door systems, all system components have to be rated.



Single Door | Satin Nickel or Brass | 517HM
(fits above 3'-0" door) — 13-1/2" frame height



Rectangular | Satin Nickel or Brass
506HM (fits above 3'-0" door w/ (2) 12" sidelights)
507HM (fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height
521HM (fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



Elliptical | Satin Nickel or Brass
503HM (fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height
578HM (fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



Segment Head | Satin Nickel or Brass | 532HM
(fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Half Round | Satin Nickel or Brass | 516HM
(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



SP8-612HM
Full Lite Smooth Door
DM, DO, SP
3'0" x 8'0"

SP8-493HM
Full Lite Smooth Sidelight
DM, DO, SP
1'0" x 8'0"
1'2" x 8'0"



SP8-687HM
Full Lite Smooth Door
DO, SP
2'6" x 6'8"

SP8-686HM
DO, SP DM
2'8" x 6'8" 3'0" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP8-684HM
1/2 Lite over
2-Panel Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Glass designs also available for steel doors.
See pages 98 – 102 for sizes and availability.

DM = Design-Pro Mahogany DO = Design-Pro Oak SP = Smooth-Pro



DO-636HM

Full Lite
Round Top Oak
Woodgrain Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-919HM

Flush Smooth with
Full Oval Lite Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DM-607HM

3/4 Lite over
1-Panel Mahogany
Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422HM

3/4 Lite Sidelight
(not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DM-684HM

1/2 Lite over
1-Panel Mahogany
Woodgrain Door

DM

3'0" x 6'8"



SP-949HM

3-Panel with 3/4 Oval
Lite Smooth Door

DO, SP

3'0" x 6'8"



SPA-607HM**

3/4 Lite over 2-Panel
Smooth Door

DO, SP

3'0" x 6'8"



SP-659HM

4-Panel Sunburst
over Smooth Door

DO, SP

3'0" x 6'8"



DO-632HM

Lite Insert in 8-Panel
Center Arch Oak
Woodgrain Door

DO, SP

3'0" x 6'8"



DO-640HM

Center Lite in
9-Panel Oak
Woodgrain Door

DO, SP

3'0" x 6'8"



SPA-422HM**

3/4 Lite
Smooth
Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



DO-692HM

1/2 Lite Oak
Woodgrain
Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"

DM

1'0" x 6'8"

1'2" x 6'8"



DO-690HM

Full Lite Oak
Woodgrain
Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.

**See specifications for dimensions.

Madison



Nickel Vein Wrought Iron

GLASS TEXTURES: Micro-Cubed

Privacy Rating | 9



DOA-607MI**

3/4 Lite over 2-Panel
Oak Woodgrain Door

DO, SP

3'0" x 6'8"

DOA-422MI**

3/4 Lite Oak
Woodgrain Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



DO8-612MI

Full Lite Oak Woodgrain Door

DM, DO, SP

3'0" x 8'0"


DO8-493MI

Full Lite Oak Woodgrain Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



SP-687MI

Full Lite
Smooth Door

DO, SP

2'6" x 6'8"

SP-686MI

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

SP-690MI

Full Lite Smooth
Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"



DM-607MI

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422MI

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"

*Glass designs also available for steel doors.
See pages 98 – 102 for sizes and availability.*

DM = Design-Pro Mahogany DO = Design-Pro Oak SP = Smooth-Pro

Corvina



Nickel Caming



Brass Caming

GLASS TEXTURES: Micro-Cubed, Criss-Cross and Clear Cluster Bevels

Privacy Rating | 7



DO-686CV

Full Lite Oak
Woodgrain Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"

DO-690CV

Full Lite Oak
Woodgrain Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"



SPA-607CV**

3/4 Lite
Over 2-Panel
Smooth Door

DO, SP

3'0" x 6'8"



SPA-422CV**

3/4 Lite
Smooth
Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



SP-949CV

3-Panel with 3/4 Oval
Lite Smooth Door

DO, SP

3'0" x 6'8"



SP-648CV

4-Panel Cambertop
Smooth Door

DO, SP

3'0" x 6'8"



DM-607CV

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422CV

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.

**See specifications for dimensions.

Bristol



Brass Caming

Satin Nickel Caming

GLASS TEXTURES: Granite, Hammered, Clear Bevels and Clear Cluster Bevels

Privacy Rating | 6



Rectangular | Satin Nickel or Brass | 506BT

(fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



DO8-612BT

Full Lite Oak Woodgrain Door

DO, DM, SP

3'-0" x 8'-0"

DO8-493BT

Full Lite Oak Woodgrain Sidelight

DO, DM, SP

1'-0" x 8'-0"

1'-2" x 8'-0"



SP-686BT

Full Lite Smooth Door

DO, SP

2'-8" x 6'-8"

2'-10" x 6'-8"

3'-0" x 6'-8"

DM

3'-0" x 6'-8"



DM-607BT

3/4 Lite over 1-Panel

Mahogany Woodgrain Door

DM, SP

3'-0" x 6'-8"

DM-422BT

3/4 Lite Mahogany Woodgrain Sidelight (not shown)

DM, SP

1'-0" x 6'-8"

1'-2" x 6'-8"



DOA-607BT**

3/4 Lite over 2-Panel

Oak Woodgrain Door

DO, SP

3'-0" x 6'-8"



DM-684BT

1/2 Lite over 1-Panel

Mahogany Woodgrain Door

DM

3'-0" x 6'-8"



DO-692BT
2 Lite over 2-Panel
Oak Woodgrain Door
DO
3'0" x 6'8"
SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-684BT
1/2 Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-949BT
3/4 Oval over 2-Panel
Smooth Door
DO, SP
3'0" x 6'8"



SPA-422BT**
3/4 Lite
Smooth
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"




DO-690BT
Full Lite Oak
Woodgrain
Sidelight
DM
1'0" x 6'8"
1'2" x 6'8"
DO, SP
10" x 6'8"*
1'0" x 6'8"
1'2" x 6'8"



SP-692BT
1/2 Lite
Smooth
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Nouveau



Nickel Caming

Patina Caming

Brass Caming

GLASS TEXTURES: Glue Chip and Clear Cluster Bevels

Privacy Rating | 6



Rectangular | Nickel, Patina or Brass

507MN (fits above 3'-0" door w/ (2) 14" sidelights)
15-1/2" frame height

521MN (fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height



Elliptical | Nickel, Patina or Brass | 578MN

(fits above 3'-0" door w/ (2) 12" sidelights)
15-1/2" frame height



Elliptical | Nickel, Patina or Brass | 503MN

(fits above 3'-0" door w/ (2) 14" sidelights)
13-1/2" frame height



Segment Head | Nickel, Patina or Brass | 532MN

(fits above 3'-0" door w/ (2) 12" sidelights)
15-1/2" frame height



DM-607MN

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422MN

3/4 Lite Mahogany
Woodgrain Sidelight
(not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DO-687MN

Full Lite Oak Woodgrain
Door

DO, SP

2'6" x 6'8"

DO-686MN

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DOA-607MN**

3/4 Lite over 2-Panel
Oak Woodgrain Door

DO, SP

3'0" x 6'8"



SP-919MN

Flush Smooth
with Full Oval
Lite Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-690MN

Smooth Full Lite
Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO, SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"



SP-949MN


3-Panel with 3/4 Oval
Lite Smooth Door

DO, SP

3'0" x 6'8"



DM-684MN
1/2 Lite over
1-Panel Mahogany
Woodgrain Door
DM
3'0" x 6'8"



SP-684MN
1/2 Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




DO-640MN
Center Lite 9-Panel
Oak Woodgrain Door
DO, SP
3'0" x 6'8"



DO-648MN
Cambertop Lite
over 4-Panel Oak
Woodgrain Door
DO, SP
3'0" x 6'8"



SP-659MN
Sunburst over 4-Panel
Smooth Door
DO, SP
3'0" x 6'8"



SP-637MN
Half Round
Top Lite over 2-Panel
Smooth Door
DO, SP
3'0" x 6'8"



SP-692MN
1/2 Lite Smooth
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



DOA-422MN**
3/4 Lite Oak
Woodgrain
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Accolade

GLASS TEXTURES: Frosted and Clear

Privacy Rating | 8



CREATES A 3-DIMENSIONAL EFFECT WITH PATTERNS ON TWO PANELS OF GLASS



SP-684AO
1/2 Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



SP-692AO
1/2 Lite
Smooth Sidelight
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



DO-919AO
Full Lite Oak
Woodgrain Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
DM
3'0" x 6'8"



SP-949AO
3-Panel with 3/4 Oval
Lite Smooth Door
DO, SP
3'0" x 6'8"



DM-684AO
1/2 Lite over
1-Panel Mahogany
Woodgrain Door
DM
3'0" x 6'8"



SP-687AO
Full Lite
Smooth Door
DO, SP
2'6" x 6'8"

SP-686AO
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

DM
3'0" x 6'8"



DO-690AO
Full Lite Oak
Woodgrain
Sidelight
DM
1'0" x 6'8"
1'2" x 6'8"
DO, SP
10" x 6'8" *
1'0" x 6'8"
1'2" x 6'8"

Simplicity

GLASS TEXTURES: Frosted and Grooved

Privacy Rating | 9



CREATES A 3-DIMENSIONAL EFFECT WITH PATTERNS ON TWO PANELS OF GLASS



DO-687SM
Full Lite Oak
Woodgrain Door

DO_SP

2'6" x 6'8"

DO-686SM

DO_SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DM-684SM
1/2 Lite over
1-Panel Mahogany
Woodgrain Door

DM

3'0" x 6'8"



SP-684SM
1/2 Lite over 2-Panel
Smooth Door

DO

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



SP-692SM
2 Lite Over 2-Panel
Smooth Door

DO

3'0" x 6'8"

SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



DO-692SM
1/2 Lite Oak
Woodgrain
Sidelight

DO_SP

1'0" x 6'8"

1'2" x 6'8"

DM

1'0" x 6'8"

1'2" x 6'8"



SP-690SM
Smooth Full
Lite Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO_SP

10" x 6'8"*


1'0" x 6'8"

1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.

**See specifications for dimensions.

Majestic




Nickel Caming

Patina Caming

Brass Caming

GLASS TEXTURES: Glue Chip, Gray Soft Wave and Glue Chip Bevels

Privacy Rating | 8



Rectangular | Patina | 521ME

(fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height

Nickel or Brass

506ME (fits above 3'-0" door w/ (2) 12" sidelights)

507ME (fits above 3'-0" door w/ (2) 14" sidelights)

15-1/2" frame height

521ME (fits above 3'-0" door w/ (2) 12" sidelights)

13-1/2" frame height



Elliptical | Patina | 578ME

(fits above 3'-0" door w/ (2) 12" sidelights)
13-1/2" frame height

Nickel or Brass

503ME (fits above 3'-0" door w/ (2) 14" sidelights)

15-1/2" frame height


578ME (fits above 3'-0" door w/ (2) 12" sidelights)

13-1/2" frame height



Brass Only | 517ME

(fits above 3'-0" door) — 13-1/2" frame height



SP8-612ME

Full Lite Smooth Door

DM, DO, SP

3'0" x 8'0"

SP8-493ME

Full Lite Smooth Sidelight

DM, DO, SP

1'0" x 8'0"

1'2" x 8'0"



DO-687ME (Brass and Nickel only) Full Lite Oak Woodgrain Door

DO, SP

2'6" x 6'8"

DO-686ME

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM
3'0" x 6'8"



DM-607ME

3/4 Lite over 1-Panel Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422ME

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"




DOA-607ME**


3/4 Lite over 2-Panel Oak Woodgrain Door

DO, SP

3'0" x 6'8"



SP-637ME
Half Round Top Lite
over 2-Panel Smooth
Door
DO, SP
3'0" x 6'8"



SP-684ME
Half Lite over 2-Panel
Smooth Door
DO, SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DM-684ME
Half Lite over
1-Panel Mahogany
Woodgrain Door
DM
3'0" x 6'8"



SP-692ME
2 Lite over 2-Panel
Smooth Door
DO
3'0" x 6'8"
SP
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



DO-640ME
9 Lite Oak Woodgrain
Door with Center
Lite Insert
DO, SP
3'0" x 6'8"



SPA-422ME**
3/4 Lite Oak
Woodgrain
Sidelight
DO, SP
1'0" x 6'8"
1'2" x 6'8"



DO-692ME
1/2 Lite Oak
Woodgrain
Sidelight
DO, SP
10" x 6'8"*
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"



SP-690ME
Full Lite Smooth
Sidelight
DO, SP
10" x 6'8"*
1'0" x 6'8"
1'2" x 6'8"
DM
1'0" x 6'8"
1'2" x 6'8"

*10" sidelights accommodate 7" glass insert only.
**See specifications for dimensions.

Tripoli



Patina Caming

GLASS TEXTURES: Glue Chip, Alabaster and Glue Chip Cluster Bevels

Privacy Rating | 8



Rectangular | Patina

507TP (fits above 3'-0" door w/ (2) 14" sidelights) — fits 15-1/2" frame height
521TP (fits above 3'-0" door w/ (2) 12" sidelights) — fits 13-1/2" frame height



Elliptical | Patina

503TP (fits above 3'-0" door w/ (2) 14" sidelights) — fits 15-1/2" frame height
578TP (fits above 3'-0" door w/ (2) 12" sidelights) — fits 13-1/2" frame height



DO-919TP

Flush Oak
Woodgrain Door
with Full Oval Lite

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DO-690TP

Full Lite Oak
Woodgrain
Sidelight

DM

1'0" x 6'8"


1'2" x 6'8"

DO, SP

10" x 6'8" *

1'0" x 6'8"

1'2" x 6'8"



SP-687TP

Full Lite Smooth Door

DO, SP

2'6" x 6'8"

SP-686TP

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



DM-607TP

3/4 Lite over 1-Panel
Mahogany Woodgrain Door

DM, SP

3'0" x 6'8"

DM-422TP

3/4 Lite Sidelight (not shown)

DM, SP

1'0" x 6'8"

1'2" x 6'8"



DM-684TP

1/2 Lite over
1-Panel Mahogany
Woodgrain Door

DM

3'0" x 6'8"




SPA-607TP**

3/4 Lite
over 2-Panel
Smooth Door

DO, SP

3'0" x 6'8"




SPA-422TP**

3/4 Lite
Smooth
Sidelight

DO, SP

1'0" x 6'8"

1'2" x 6'8"



SP-684TP

1/2 Lite over 2-Panel
Smooth Door

DO, SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



SP-692TP

1/2 Lite Smooth
Sidelight

DO, SP

10" x 6'8" *

1'0" x 6'8"


1'2" x 6'8"

DM

1'0" x 6'8"


1'2" x 6'8"

Beveled Elegance



Nickel Caming Brass Caming

Privacy Rating | 0



DO-686BE

Full Lite Oak
Woodgrain Door

DO_SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-659BE

4-Panel Smooth Door
with Sunburst

DO_SP

3'0" x 6'8"

Cut Crystal

V-Grooved Glass

Privacy Rating | 0



DO8-612CC

Full Lite Oak Woodgrain Door

DM, DO_SP

3'0" x 8'0"

DO8-493CC

Full Lite Oak Woodgrain Sidelight

DM, DO_SP

1'0" x 8'0"

1'2" x 8'0"



SP-687CC

Full Lite
Smooth Door

DO_SP

2'6" x 6'8"

SP-686CC

DO_SP

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

DM

3'0" x 6'8"



SP-690CC

Full Lite
Smooth Sidelight

DM

1'0" x 6'8"

1'2" x 6'8"

DO_SP

10" x 6'8"*

1'0" x 6'8"

1'2" x 6'8"

*10" sidelights accommodate

7" glass insert only.

**See specifications for dimensions.

Quiet Elegance

GLASS TEXTURES: Light Silkscreen and Clear

Privacy Rating | 7



SP-692QE

2 Lite over 2-Panel Smooth Door

| | |
|-------------|--------------|
| <u>DO</u> | <u>SP</u> |
| 3'0" x 6'8" | 2'8" x 6'8" |
| | 2'10" x 6'8" |
| | 3'0" x 6'8" |

SP-692QE

1/2 Lite Smooth Sidelight

| | |
|---------------|-------------|
| <u>DO, SP</u> | <u>DM</u> |
| 10" x 6'8"* | 1'0" x 6'8" |
| 1'0" x 6'8" | 1'2" x 6'8" |
| 1'2" x 6'8" | |



SP-686QE

Full Lite Smooth Door

| | |
|---------------|-------------|
| <u>DO, SP</u> | <u>DM</u> |
| 2'8" x 6'8" | 3'0" x 6'8" |
| 2'10" x 6'8" | |
| 3'0" x 6'8" | |



DO-919QE

Full Oval Lite Oak Woodgrain Door

| |
|---------------|
| <u>DO, SP</u> |
| 2'8" x 6'8" |
| 2'10" x 6'8" |
| 3'0" x 6'8" |
| <u>DM</u> |
| 3'0" x 6'8" |



DO-694QE

Full Oak Woodgrain Sidelight

| |
|---------------|
| <u>DM</u> |
| 1'0" x 6'8" |
| 1'2" x 6'8" |
| <u>DO, SP</u> |
| 10" x 6'8"* |
| 1'0" x 6'8" |
| 1'2" x 6'8" |



DM-684QE

1/2 Lite over 1-Panel Mahogany Woodgrain Door

| |
|-------------|
| <u>DM</u> |
| 3'0" x 6'8" |



SP-684QE

1/2 Lite over 2-Panel Smooth Door

| |
|---------------|
| <u>DO, SP</u> |
| 2'8" x 6'8" |
| 2'10" x 6'8" |
| 3'0" x 6'8" |

*10" sidelights accommodate 7" glass insert only.

**See specifications for dimensions.

Glass designs also available for steel doors. See pages 98 – 102 for sizes and availability.

DM = Design-Pro Mahogany DO = Design-Pro Oak SP = Smooth-Pro



DESIGN-PRO MAHOGANY DM-686 DOOR AND DM-690 SIDELIGHTS WITH QUIET ELEGANCE GLASS

FIXED GRILLES AND CLEAR DOORGLASS

Our Design-Pro, Smooth-Pro and Steel door designs are available with a range of grilles and clear doorglass. Fixed grille options include various simulated divided lite (SDL) patterns for an authentic look. The clear insulating glass options include privacy glass and Low-E glass, which provides reduced energy costs and increased year-round comfort. Please see specifications on pages 98–102 for sizes and availability.



DM-686
Design-Pro Full Lite
Mahogany Woodgrain



GD-637
Gladiator Steel Half Round
Top Lite over 2-Panels



DO-919
Design-Pro Full Oval Lite
Oak Woodgrain

GRILLES BETWEEN THE GLASS (GBG)

Contoured Bar 11/16"



Contoured internal grilles feature an 11/16" internal grilles.

Available grille colors



Champagne – C



White – W

Slim Line Bar 5/16"



Slim Line style grilles are available in white with a 5/16" grille bar only.

Available grille colors



White – W

Standard Bar 5/8"



Standard internal grilles feature a 5/8" grille bar.

Available grille colors



Champagne – C



Bronze – B



White – W

New Wide Prairie Style Bar 7/8"



Available grille colors



Tan – T



White – W

Wide Bar 7/8"



Wide bar grilles are available in a 7/8" grille bar only.

Available grille colors



Tan – T



White – W

Prairie Style Bar 5/8"



Available grille colors



Champagne – C



White – W

GLASS OPTIONS



Low-E Clear Doorglass



Available as a clear doorglass option, Low-E glass is made with an invisible thin metallic coating that blocks heat flow. A proven energy saver, Low-E glass reduces air conditioning costs by reducing solar transmissions in the summer. In the winter, it reduces heat loss to the outside and allows solar energy to pass inside. Available in Severe Weather, Blinds, Internal Muntins and Clear Doorglass. See www.odl.com for specific thermal performance information.

Reduces Fabric Fading


Low-E glass protects fabrics, carpets and all coverings from fading by blocking up to 61 percent of harmful ultraviolet rays.

Eliminates Cold Spots and Drafts


In cold weather, Low-E glass stays warm on the inside—minimizing cold spots and convection currents.

Reduces Condensation

Cold glass and warm, moist indoor air can cause damaging condensation. Low-E glass keeps glass warmer, which reduces condensation.



- Allows solar energy in
- Reduces as much as 71% of heat loss
- Reduces drafts and cold spots




- Reduces direct sun rays
- Reduces cooling loss
- Blocks reradiated solar heat
- Filters UV rays

Privacy Doorglass

Textured Rain Glass

Privacy Rating | 9



Privacy Rating

All our doorglass designs are assigned a privacy rating to help you choose a level of transparency or opacity that's right for your home.



Clear 1

Opaque 10

FIXED GRILLES AND CLEAR DOORGLASS

Door designs shown with clear glass inserts. The following glass inserts are available for Design-Pro Mahogany and Oak, Smooth-Pro and Energy Saver®, Gladiator®, Contours™ and FiniShield® steel doors.



680
[CL, PG]



640
[CL, PG]



658
[FX]



664
[FX, PG]




224
[FX]




659
[CL]



626
[FX]



412
[CL]



696
[CL]



438
[CL, PG]



631
[CL]



630
[FX]



447
[CL, PG]



682
[FX]



637
[CL]




602
[FX]



693
[FX, PG]



919
[CL]

 = Low-E CB = Contoured Bar 11/16" SLB = Slim Line Bar 5/16" WB = Wide Bar 7/8" SB = Standard Bar 5/8" WPB = Wide Prairie Style Bar 7/8" PB = Prairie Style Bar 5/8"
 PG = Privacy Glass CL = Clear FX = Fixed
 See specifications for dimensions.

FIXED GRILLES AND CLEAR DOORGLASS



605
[SLB, FX, PG]



628
[CB, WB, SB, FX]



681
[SB, CB, WB]



610
[SB, CB, WB]



689
[WB, CB, SB, PG]



695
[WB, CB, SB, PG]



660
[SL, PG, SB]



447
[WB]



438
[WB]



442
[WB]



462
[WB]



443
[WB]



463
[WB]



701 Prairie
[WPB, PB]



700 Prairie
[WPB, PB]



600
[CL]

8 Foot Options



612
[CL, PG]



493
[PG]



613
[CB, WB, SB]



474
[CB, WB, SB]



614
[CB, WB, SB]



474
[CB, WB, SB]



680
[CL]



692
[CL, PG]



693
[SLB, PG]



631
[CL]



630
[CL]



422
[CL]



423
[CL]



694
[CL]




695
[SLB, PG]

Clear Glass Transom



505CL (fits above 3'-0" door)
511CL (fits above 2'-8" door)
517CL (fits above 3'-0" door)
524CL (fits above 2'-8" door)
525CL (fits above 3'-0" door)



547CL (3'-0" door w/ (2) 12" sidelights)



506CL (3'-0" door w/ (2) 12" sidelights)
507CL (3'-0" door w/ (2) 14" sidelights)
521CL (3'-0" door w/ (2) 12" sidelights)
526CL (3'-0" door w/ (2) 12" sidelights)
527CL (3'-0" door w/ (2) 12" sidelights)
547CL (3'-0" door w/ (2) 12" sidelights)
551CL (3'-0" door w/ (2) 14" sidelights)



515CL (3'-0" door w/ (2) 12" sidelights)
516CL (3'-0" door w/ (2) 14" sidelights)



500CL (fits above 3'-0" door)



502CL (3'-0" door w/ (2) 12" sidelights)
503CL (3'-0" door w/ (2) 14" sidelights)
512CL (3'-0" door w/ (2) 12" sidelights)
514CL (3'-0" door w/ (2) 14" sidelights)



500IM (fits above 3'-0" door)



Transom 502/503/512/514-IM 5-light



Transom 506/507/521/526/527-IM 5-light



505/517/525-IM 3-light

☉ = Low-E CB = Contoured Bar 11/16" SLB = Slim Line Bar 5/16" WB = Wide Bar 7/8"
SB = Standard Bar 5/8" WPB = Wide Prairie Style Bar 7/8" PB = Prairie Style Bar 5/8"
PG = Privacy Glass CL = Clear FX = Fixed
See specifications for dimensions.



Vents

- Enjoy the warm breezes of summer, while shutting out cold wind and rain
- Energy efficient 3/4" glass with .50 U-value
- Interlocking rails with double seals ensure a tight fit to resist air and water infiltration
- UV-resistant, injection-molded frame never needs painting and resists cracking and yellowing
- 10-Year limited warranty

Privacy Rating | 2-9



only

GD-799CL
1/2 Lite over 2-Panels
[DM, DO, SP, CT, ES, FS]



GD-799RN
1/2 Lite over 2-Panels
[DM, DO, SP, CT, ES, FS]



only

ES-799IM
1/2 Lite over 2-Panels
[DM, DO, SP, CT, GD, FS]



GD-799IM/RN
1/2 Lite over 2-Panels
[DM, DO, SP, CT, ES, FS]

DO = Design-Pro Oak DM = Design-Pro Mahogany SP = Smooth-Pro
CT = Contours™ ES = Energy Saver® GD = Gladiator® FS = FiniShield®
See specifications for dimensions.

Raise and Lower Doorglass Shade

- Now available with optional Low-E glass
- Lift from the bottom, lower from the top, or both
- No swinging shades
- Soft, white fabric shade
- Increased energy efficiency
- 10-year warranty

Privacy Rating | 1-10




Available shade color



White



2.



1.

3.

1. **Above Left:** LightTouch® controls easily raise and lower internal shade.

2. **Top Right:** Maintain light and privacy in the comfort of your own home.

3. **Above Right:** Shades are sealed between tempered safety glass for longer life and better insulation.



**686RLS,
2'6" 672RLS**
Full Lite Door
[DM, DO, SP, CT, ES,
GD, FS]



684RLS
1/2 Lite over
2-Panel Door
[DO, SP, CT, ES, GD, FS]

DO = Design-Pro Oak DM = Design-Pro Mahogany
SP = Smooth-Pro CT = Contours™ ES = Energy Saver®
GD = Gladiator® FS = FiniShield®

Motorized Raise, Lower and Tilt Doorglass Blind

- Maintenance-free design with no dusting required
- Motorized raise, lower, and tilt functions offer infinite control of light and privacy
- No exposed cords or dangling wand
- Safe for children and pets
- Energy efficient design reduces solar heat gain



Privacy Rating | 1-10



Available blind color



White



- Meets ADA requirements for accessible forward reach
- Operates on four "C" batteries
- Blinds are sealed between tempered safety glass
- Can paint or stain over pushpad controls
- Covered by U.S. Patent 6,601,633; other patents pending

See specifications for dimensions.



684MRBL
1/2 Lite over
2-Panel Door
[DO, SP, CT, ES,
GD, FS]



686MRBL,
Full Lite Door
[DM, DO, SP, CT,
ES, GD, FS]

Raise, Lower and Tilt Doorglass Blinds

- No dangling cords or tilt wands
- No swinging blinds
- All-in-one side control for 8'0" door raises/lowers and tilts all within reach
- Blinds tilt a full 180 degrees
- Increased energy efficiency
- 20-year warranty

Privacy Rating | 1-10



Available blind color



684BL and 686RBL available in Tan



White



Fingertip control allows you to tilt blinds



Ergonomically designed LightTouch® control raises and lowers the blind with four pounds of force on the 64" size.



684RBL White
684RBL with Low-E Tan
1/2 Lite over 2-Panel
[DO, SP, CT, ES, GD, FS]

692RBL
Sidelight
[DO, SP, CT, ES, GD, FS]



607RBL
3/4 Lite over 2-Panel
[DO, SP, CT, ES, GD, FS]



686RBL White
2'6" 687RBL White
686RBL with Low-E Tan
2'6" 687RBL with Low-E Tan
Full Lite
[DO, SP, CT, ES, GD, FS]

690RBL
Sidelight
[DO, SP, CT, ES, GD, FS]



8-612RBL
Full Lite
[DM, DO, SP, CT, ES, GD, FS]

GBG Blinds

- Maintenance-free design with no dusting required
- Raise, lower and tilt functions offer infinite control of light and privacy
- No exposed cords or dangling wand
- Low-E glass and the triple glazed design improves energy efficiency
- 20-year Warranty

Privacy Rating | 1-10



Available blind color



White



- Smooth Contour Grille design
- Sealed between safety glass



684IMBLD
1/2 9 Lite over
2-Panel
[DO, SP, CT, ES,
GD, FS]



686IMBLD1
Full 10 Lite
[DM, DO, SP, CT,
ES, GD, FS]



686IMBLD15
Full 15 Lite
[DM, DO, SP, CT,
ES, GD, FS]

SEVERE WEATHER® DOORGLASS

This doorglass is certified for use in various entry systems to meet Florida and Texas windborne debris requirements in areas where wind speeds can exceed 120 mph. This glass also meets DP+ 65 wind and missile code requirements, and it comes with a 20-year glass seal warranty. The glass is also designed to maximize natural light, making it an attractive alternative to hurricane shutters.




Impact Resistance

During impact resistance testing, an 8-foot long 2x4 is fired at 50 feet per second at designated spots on the doorglass and slab. The entire unit must remain intact through 9000 pressure cycles. Doors must also pass water infiltration, structural loading and forced air infiltration tests.

Thermal Performance

Severe Weather® doorglass can be used to meet ENERGY STAR® thermal performance criteria in the Southern, South/Central and North/Central climate zones.



Raise, Lower and Tilt Blind



612RBL
Full Lite Door
with Blind



487RBL
Full Lite Door
with Blind
(2'0" x 8'0")



686RBL
Full Lite Door with Blind
690RBL
Full Lite Sidelight
with Blind



684RBL
1/2 Lite over 2-Panel
Door with Blind

Cadence (CD)
Patina Caming



Expressions (EXSN or EXB)
Brass or Nickel Caming



686CD
Full Lite Door with
Cadence Glass

690CD
Full Lite Sidelight with
Cadence Glass



612CD
Full Lite Door with
Cadence Glass

493CD
Full Lite Sidelight with
Cadence Glass



686EX
Full Lite Door with
Expressions Glass

690EX
Full Lite Sidelight with
Expressions Glass



612EX
Full Lite Door with
Expressions Glass

493EX
Full Lite Sidelight with
Expressions Glass

Jacinto (JA)
Wrought Iron




Impressions (LI)



686JA
Full Lite Door with
Jacinto Glass

690JA
Full Lite Sidelight with
Jacinto Glass



612JA
Full Lite Door with
Jacinto Glass

493JA
Full Lite Sidelight with
Jacinto Glass



686LI
Full Lite Door with
Impressions Glass

690LI
Full Lite Sidelight with
Impressions Glass



612LI
Full Lite Door with
Impressions Glass

493LI
Full Lite Sidelight with
Impressions Glass

Heirlooms (HMN)
Nickel only



Majestic (MEN)
Nickel only



686HMN
Full Lite Door with
Heirlooms Glass

690HMN
Full Lite Sidelight with
Heirlooms Glass




612HMN
Full Lite Door with
Heirlooms Glass

493HMN
Full Lite Sidelight with
Heirlooms Glass



686MEN
Full Lite Door with
Majestic Glass

690MEN
Full Lite Sidelight with
Majestic Glass



612MEN
Full Lite Door with
Majestic Glass

493MEN
Full Lite Sidelight with
Majestic Glass

Grilles Between the Glass (GBG)



684IM9
Internal Grille
9-Lite Door



686IM10
Internal Grille
10-Lite Door



686IM15
690IM5
Internal Grille
15-Lite Door



612IM19
493IM6
Internal Grille
18-Lite Door



612IM12
Internal Grille
12-Lite Door

Prairie Style GBG



684PIM
1/2 Lite over 2-Panel
Door with
Prairie Style GBG



686PIM
690PIM
Full Lite Door with
Prairie Style GBG



612PIM
493PIM
Full Lite Door with
Prairie Style GBG

Clear



684CL
1/2 Lite over 2-Panel
Door with Clear Glass



686CL
Full Lite Door with
Clear Glass
690CL
Full Lite Sidelight
with Clear Glass



612CL
Full Lite Door with
Clear Glass
493CL
Full Lite Sidelight with
Clear Glass

FIBERGLASS AND STEEL DOOR CONSTRUCTION

Fire-Rated Doors

Our fire-rated fiberglass or steel doors are made to meet or exceed local fire rating building codes for both residential and light commercial use. Choose from 20-minute or 90-minute certifications. For true fire protection, these doors must be used with certified frames and hardware.

Hurricane-Rated Doors

JELD-WEN® exterior doors can help protect homes in areas prone to severe weather. When used in combination with other components that meet stringent Miami-Dade County building code requirements, the door system can be approved for use in high-velocity hurricane zones.*

**A door system includes the door slab, frame, hardware and all components. All must be individually qualified to meet Miami-Dade County building code requirements.*

Construction

(The below images are illustrations and may vary from actual doors.)



ARCHITECTURAL FIBERGLASS

- 1-3/4" Door
- 1" LVL top and bottom rails
- 4" LVL stiles
- All stiles and rails composite capped
- Polystyrene core
- Fiberglass facing
- 20-minute fire rating construction available**



DESIGN-PRO FIBERGLASS

- 1-3/4" Door
- 1" LVL stiles and rails
- All stiles and rails composite capped
- Polystyrene core
- 12" lock block
- Fiberglass facing
- 20-minute fire rating construction available**



SMOOTH-PRO FIBERGLASS

- 1-3/4" Door
- 1" LVL stiles and rails
- All stiles and rails composite capped
- Polystyrene core
- 12" lock block
- Fiberglass facing
- 20-minute fire rating construction available**



CONTOURS™ STEEL/ENERGY SAVER® STEEL

- 1-3/4" Door
- 1" LVL stiles and rails
- Steel bottom rail
- Polystyrene core
- 24-gauge steel facing
- Optional steel edge with 24-gauge steel facing
- 12" lock block
- 20-minute fire rating construction available**



GLADIATOR® STEEL

- 1-3/4" Door
- 1" LVL stiles and rails
- Steel bottom rail
- Polystyrene core
- 25-gauge steel facing
- 12" lock block
- 20-minute fire rating construction available**



FINISHIELD® STEEL

- 1-3/4" Door
- 1" LVL stiles and rails
- Steel bottom rail
- Polystyrene core
- 25-gauge steel facing
- 12" lock block
- Seven-mil woodgrain textured vinyl

PRESERVING CRAFTSMANSHIP

Appropriate Protection for Exterior Doors

The protection of your door is a major factor in its maintenance requirements and longevity. To adequately protect your door and extend its life, you have to consider several factors. You'll need to take into account the door type, climate, exposure, color choice and the use of a storm door.

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. Here are some guidelines as you consider the type of door you install, the finish you choose, and how much overhang protection is needed.



Overhangs

Depending on the climate and the direction the door faces, wood doors will require some sort of protective overhang. A formula to help you determine the correct overhang for your wood door in most cases is: $Y = 1/2X$. For example, if the measurement from the

base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet. In most climates, an overhang as shown in the illustration is required for wood doors, and suggested for all exterior doors. Keep in mind that overhangs are always wise, even for steel and fiberglass doors.

You also need to take into account the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day. Please consult the chart below and adjust the length of the overhang as needed.

Without correct overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors with these exposures may experience performance problems such as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels and glass.

With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

Color Choice

No matter what type of exterior door you install, color choice may affect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. As a rule of thumb, if you can't hold your hand on the face of the door for more than 30 seconds, the door is too hot. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading. In addition, extreme temperature changes can cause warping, sticking and other performance problems. For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect your door from the effects of the sun.

Storm Doors

Storm doors provide additional protection for your door in many climates. They shelter the door mainly from rain and wind, though a storm door with dual-pane Low-E glass will also block UV rays. In hot climates or if the exterior door gets more than a few hours of direct sun each day, adding a storm door may not be a good choice. It may trap too much heat and cause the surface temperature of the door to raise above 150F. This may cause substantial damage — such as warping, color fading and wood joint separation — to the door and be dangerous to the touch. Please note, a storm door in front of a dark colored exterior door can accelerate heat buildup even more.


JELD-WEN Warranties

This document provides general information about measures that can be taken to better protect exterior doors, but no warranties, whether express or implied, are provided by this document. For specific product information and available product warranties, please refer to www.jeld-wen.com or contact JELD-WEN Customer Service at 888-JWHELPJ.



| | | DIRECTION YOUR DOOR FACES | | | |
|---------|--------|---------------------------|--------|----------|--------|
| | | NORTH | SOUTH | EAST | WEST |
| CLIMATE | DESERT | $Y=1/2X$ | $Y=2X$ | $Y=1/2X$ | $Y=2X$ |
| | OCEAN | $Y=1/2X$ | $Y=X$ | $Y=1/2X$ | $Y=X$ |
| | WET | $Y=X$ | $Y=X$ | $Y=X$ | $Y=X$ |
| | MILD | $Y=1/2X$ | $Y=X$ | $Y=1/2X$ | $Y=X$ |

Configurations



Doors with decorative glass inserts are also available with coordinating sidelights and transoms to create a complete entry system.



Single

Single with
Left SidelightSingle with
Right SidelightSingle with
Two Sidelights

Double

Double with
Two SidelightsSingle with
Rectangle
TransomSingle with
Two Sidelights
and Rectangle
TransomSingle with
Two Sidelights
and Elliptical
TransomSingle with
Two Sidelights
and Segment
TransomSingle with
Two Sidelights
and Half Round
Transom

Shapes and Sizes

Decorative glass inserts come in a variety of shapes and sizes. Select whichever combination best suits your aesthetic preferences and the amount of natural light you want.



1 Light



9-Panel

Craftsman
Light
814Sunburst
659Craftsman
Camber
816

Cambertop



684



692SL



692



637



607



422SL



949

Center
Arch
632

686



690


Full View
687

636




919


Transoms



Rectangle



Elliptical



Segment



Half Round

ARCHITECTURAL FIBERGLASS DOOR SPECIFICATIONS

| Mahogany | | | | | | | | | | |
|---------------------------------------|--------|---------------|-----------|--------------|----------------|----------------|----------------|-----------|-------------|----------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| 6-PANEL | | | | | | | | | | |
| 3'0", 3'6" | 6'8" | 6 | 1-3/4" | 10-7/8", 12" | 4-7/8", 6-3/8" | 4-1/4", 5" | 4-3/4", 4-7/8" | 6-1/2" | 9-1/4" | Mahogany |
| 3'0", 3'6" | 8'0" | 6 | 1-3/4" | 10-7/8", 12" | 4-7/8", 5-7/8" | 4-1/4", 5" | 4-3/4" | 8" | 8-1/2" | Mahogany |
| 3-PANEL | | | | | | | | | | |
| 3'0" | 6'8" | 3 | 1-3/4" | 11-1/2", 26" | 5-1/8" | N/A | 4-3/4" | 3-3/16" | 9-1/4" | Mahogany |
| 4-PANEL BOTTOM ARCH | | | | | | | | | | |
| 3'0" | 6'8" | 4 | 1-3/4" | N/A | 5-1/8" | N/A | 4-3/4" | N/A | 9-1/4" | Mahogany |
| 3'0, 3'6" | 8'0" | 4 | 1-3/4" | N/A | 4-7/8", 6-3/8" | N/A | 4-3/4" | N/A | 8-1/2" | Mahogany |
| 2-PANEL CONTINENTAL | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 26" | 4-7/8" | N/A | 4-3/4" | 6-1/2" | 9-1/4" | Mahogany |
| 3'0" | 8'0" | 2 | 1-3/4" | 25" | 5-1/8" | N/A | 4-3/4" | 8" | 8-1/2" | Mahogany |
| 2-PANEL CRAFTSMAN (CAMBER/SQUARE TOP) | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 10" | 4-7/8" | 5-11/16" | 4-1/4" | N/A | 9-1/4" | Mahogany |
| 2-PANEL PLANK | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 26" | 4-7/8" | N/A | 4-3/4" | 6-1/2" | 9-1/4" | Mahogany |
| 3'0", 3'6" | 8'0" | 2 | 1-3/4" | 26", 30" | 4-7/8", 5-7/8" | N/A | 4-3/4" | 7" | 8-1/2" | Mahogany |
| 1-PANEL PLANK | | | | | | | | | | |
| 3'0" | 6'8" | 1 | 1-3/4" | 26" | 4-7/8" | N/A | 4-3/4" | N/A | 9-1/4" | Mahogany |
| 3'0, 3'6" | 8'0" | 1 | 1-3/4" | 26", 30" | 4-7/8", 5-7/8" | N/A | 4-3/4" | N/A | 8-1/2" | Mahogany |
| 1-PANEL 3/4 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 1 | 1-3/4" | 26" | 4-7/8" | N/A | 5-1/8" | 5" | 9-1/4" | Mahogany |
| 3'0" | 8'0" | 1 | 1-3/4" | 26" | 5-1/8" | N/A | 5-1/8" | 5-7/8" | 8-1/2" | Mahogany |
| 2-PANEL 1/2 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 10-7/8" | 5-1/8" | N/A | 5-1/8" | 6-7/8" | 9-1/4" | Mahogany |
| FULL LITE | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | 4-7/8" | N/A | 5" | N/A | 9-3/4" | Mahogany |
| 3'0" | 8'0" | N/A | 1-3/4" | N/A | 5-1/8" | N/A | 5" | N/A | 9" | Mahogany |

| Oak | | | | | | | | | | |
|------------------|--------|---------------|-----------|-------------|--------------|----------------|----------|-----------|-------------|---------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| 6-PANEL | | | | | | | | | | |
| 3'0" | 6'8" | 6 | 1-3/4" | 10-7/8" | 4-7/8" | 4-1/4" | 4-7/8" | 6-1/2" | 9-1/4" | Oak |
| 2-PANEL 1/2 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 10-7/8" | 4-7/8" | 4-1/4" | 5-1/8" | 6-7/8" | 9-1/4" | Oak |
| 2-PANEL 3/4 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 10-1/2" | 4-7/8" | 5" | 5-1/8" | N/A | 9-1/4" | Oak |
| FULL LITE | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | 4-7/8" | N/A | 5-1/8" | N/A | 9-5/8" | Oak |

ARCHITECTURAL FIBERGLASS SIDELIGHT SPECIFICATIONS

| Mahogany | | | | | | | | | | |
|------------|--------|---------------|-----------|-------------|----------------|----------------|----------|-----------|-------------|----------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FULL LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | N/A | 1-3/4" | N/A | 1-1/2", 2-1/2" | N/A | 5" | N/A | 9-3/4" | Mahogany |
| 1'0", 1'2" | 8'0" | N/A | 1-3/4" | N/A | 1-1/2", 2-1/2" | N/A | 5-1/8" | N/A | 8-7/8" | Mahogany |
| 3/4 LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/4" | 1-1/2", 2-1/2" | N/A | 5-1/8" | N/A | 9-1/4" | Mahogany |
| 1/2 LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/4" | 1-1/2", 2-1/2" | N/A | 5-1/8" | N/A | 9-1/4" | Mahogany |

| Oak | | | | | | | | | | |
|------------|--------|---------------|-----------|-------------|----------------|----------------|----------|-----------|-------------|---------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FULL LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | N/A | 1-3/4" | N/A | 1-1/2", 2-1/2" | N/A | 5-1/8" | N/A | 9-5/8" | Oak |
| 3/4 LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/4" | 1-1/2", 2-1/2" | N/A | 5-1/8" | N/A | 9-1/4" | Oak |
| 1/2 LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/4" | 1-1/2", 2-1/2" | N/A | 5-1/8" | N/A | 9-1/4" | Oak |

DESIGN-PRO FIBERGLASS DOOR SPECIFICATIONS

| Mahogany | | | | | | | | | | |
|---------------------|--------|---------------|-----------|-------------|--------------|----------------|----------|-----------|-------------|----------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FLUSH | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | N/A | N/A | N/A | N/A | N/A | Mahogany |
| 3'6" | 8'0" | N/A | 1-3/4" | N/A | N/A | N/A | N/A | N/A | N/A | Mahogany |
| 2-PANEL CONTINENTAL | | | | | | | | | | |
| 3'0" | 6'8" | 2 | 1-3/4" | 23" | 6-3/8" | N/A | 4-7/8" | 6-1/2" | 9-1/8" | Mahogany |
| 3'0" | 8'0" | 2 | 1-3/4" | 23" | 6-3/8" | N/A | 6-1/8" | 8" | 11-3/8" | Mahogany |
| 1-PANEL 3/4 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 1 | 1-3/4" | 23" | 6-3/8" | N/A | 4-7/8" | 5-1/2" | 9-1/8" | Mahogany |
| 1-PANEL 1/2 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 1 | 1-3/4" | 23" | 6-3/8" | N/A | 4-7/8" | 6-3/8" | 9-1/4" | Mahogany |
| FULL LITE | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Mahogany |
| 3'0" | 8'0" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Mahogany |
| FULL LITE OVAL | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | n | 9-1/8" | Mahogany |

| Oak | | | | | | | | | | |
|--|--------|---------------|-----------|-------------------|------------------------|----------------|----------------------------------|-----------|-------------|---------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FLUSH | | | | | | | | | | |
| 2'8", 2'10", 3'0" | 6'8" | N/A | 1-3/4" | N/A | N/A | N/A | N/A | N/A | N/A | Oak |
| 3'0" | 8'0" | N/A | 1-3/4" | N/A | N/A | N/A | N/A | N/A | N/A | Oak |
| 6-PANEL | | | | | | | | | | |
| 2'6" | 6'8" | 6 | 1-3/4" | 8-5/16" | 4-3/8" | 4-3/8" | 4-7/8" | 6-1/2" | 9-1/4" | Oak |
| 2'8", 2'10", 3'0" | 6'8" | 6 | 1-3/4" | 9" | 4-3/8", 5-3/8", 6-3/8" | 5" | 4-7/8" | 6-1/2" | 9-1/4" | Oak |
| 3'0" | 8'0" | 6 | 1-3/4" | 9" | 6-3/8" | 5" | 4-7/8" | 8" | 12-5/8" | Oak |
| 4-PANEL BLANK TOP (W/ CAMBER LITE OR SUNBURST) | | | | | | | | | | |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 5" | 20-1/4"; 4-7/8" w/ cut out | 6-1/2" | 9-1/4" | Oak |
| 2-PANEL 1/2 LITE | | | | | | | | | | |
| 2'6", 2'8", 2'10", 3'0" | 6'8" | 2 | 1-3/4" | 9" | 4-3/8", 5-3/8", 6-3/8" | 5" | 4-7/8" | 6-3/8" | 9-1/4" | Oak |
| 4-PANEL FLAT | | | | | | | | | | |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 5" | 4-3/4" | 6-1/2" | 9-1/4" | Oak |
| 3-PANEL OVAL | | | | | | | | | | |
| 3'0" | 6'8" | 3 | 1-3/4" | 10" | 6-3/8" | 3" | 4-1/8" | 3-1/2" | 7-3/8" | Oak |
| 8-PANEL CENTER ARCH | | | | | | | | | | |
| 3'0" | 6'8" | 8 | 1-3/4" | varies | 6-3/8" | N/A | 4-7/8" | N/A | 8-3/4" | Oak |
| 9-PANEL | | | | | | | | | | |
| 3'0" | 6'8" | 9 | 1-3/4" | 5-1/4", 8-1/2" | 6-3/8" | N/A | 4-7/8" | N/A | 8-1/8" | Oak |
| FULL LITE | | | | | | | | | | |
| 2'6", 2'8", 2'10", 3'0" | 6'8" | N/A | 1-3/4" | N/A | 4-3/8", 5-3/8", 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Oak |
| 2'6", 3'0" | 8'0" | N/A | 1-3/4" | N/A | 4-3/8", 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Oak |
| FULL LITE OVAL | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Oak |

DESIGN-PRO FIBERGLASS SIDELIGHT SPECIFICATIONS

| Design-Pro Fiberglass sidelights | | | | | | | | | | |
|----------------------------------|--------|---------------|-----------|-------------|----------------|----------------|----------|-----------|-------------|---------------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FULL LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | N/A | 1-3/4" | N/A | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Oak, Mahogany |
| 1'0", 1'2" | 8'0" | N/A | 1-3/4" | N/A | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Oak, Mahogany |
| 1-PANEL 3/4 LITE | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 9" | 1-7/8", 2-7/8" | N/A | 4-7/8" | N/A | 9-1/4" | Oak, Mahogany |
| 1-PANEL 1/2 LITE | | | | | | | | | | |
| 10"* , 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 9" | 1-7/8", 2-7/8" | N/A | 4-7/8" | N/A | 9-1/4" | Oak |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 9" | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/4" | Mahogany |

*10" Sidelites have an 8" opening and can only accommodate 7" glass

SMOOTH-PRO FIBERGLASS DOOR SPECIFICATIONS

| Smooth-Pro Fiberglass doors | | | | | | | | | | |
|-----------------------------|--------|---------------|-----------|----------------|------------------------|----------------|----------|-----------|-------------|---------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FLUSH | | | | | | | | | | |
| 2'8", 2'10", 3'0" | 6'8" | N/A | 1-3/4" | N/A | N/A | N/A | N/A | N/A | N/A | Smooth |
| 3'0" | 8'0" | N/A | 1-3/4" | N/A | N/A | N/A | N/A | N/A | N/A | Smooth |
| 3-PANEL 3/4 OVAL | | | | | | | | | | |
| 3'0" | 6'8" | 3 | 1-3/4" | 10" | 6-3/8" | 3" | 4-1/8" | 3-1/2" | 7-3/8" | Smooth |
| 4-PANEL BLANK TOP | | | | | | | | | | |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 5" | 20-1/4" | 6-1/2" | 9-1/4" | Smooth |
| 4-PANEL CAMBER TOP/SUNBURST | | | | | | | | | | |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 5" | 4-7/8" | 6-1/2" | 9-1/4" | Smooth |
| 6-PANEL | | | | | | | | | | |
| 2'6" | 6'8" | 6 | 1-3/4" | 8-5/16" | 4-3/8" | 4-3/8" | 4-7/8" | 6-1/2" | 9-1/4" | Smooth |
| 2'8", 2'10", 3'0" | 6'8" | 6 | 1-3/4" | 9" | 4-3/8", 5-3/8", 6-3/8" | 5" | 4-7/8" | 6-1/2" | 9-1/4" | Smooth |
| 3'0" | 8'0" | 6 | 1-3/4" | 9" | 6-3/8" | 5" | 4-7/8" | 8" | 12-3/4" | Smooth |
| 8-PANEL CENTER ARCH | | | | | | | | | | |
| 3'0" | 6'8" | 8 | 1-3/4" | 5", 10" | 6-3/8" | N/A | 4-7/8" | N/A | 8-3/4" | Smooth |
| 9-PANEL | | | | | | | | | | |
| 3'0" | 6'8" | 9 | 1-3/4" | 5-1/4", 8-1/2" | 6-3/8" | N/A | 4-7/8" | 2" | 8-1/8" | Smooth |
| 2-PANEL 1/2 LITE | | | | | | | | | | |
| 2'8", 2'10", 3'0" | 6'8" | 2 | 1-3/4" | 9" | 4-3/8", 5-3/8", 6-3/8" | 5" | 4-7/8" | 6-3/8" | 9-1/4" | Smooth |
| 1-PANEL 3/4 LITE | | | | | | | | | | |
| 3'0" | 6'8" | 1 | 1-3/4" | 23" | 6-3/8" | N/A | 4-3/4" | 5-1/2" | 9-1/4" | Smooth |
| 4-PANEL FLAT | | | | | | | | | | |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 5" | 4-3/4" | 6-1/2" | 9-1/4" | Smooth |
| FULL LITE | | | | | | | | | | |
| 2'6" | 6'8" | N/A | 1-3/4" | N/A | 4-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| 2'8", 2'10", 3'0" | 6'8" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| 2'6" | 8'0" | N/A | 1-3/4" | N/A | 4-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| 3'0" | 8'0" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| FULL LITE OVAL | | | | | | | | | | |
| 3'0" | 6'8" | N/A | 1-3/4" | N/A | 6-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |

| Smooth-Pro Fiberglass sidelights | | | | | | | | | | |
|---|--------|---------------|-----------|-------------|----------------|----------------|----------|-----------|-------------|---------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FULL LITE | | | | | | | | | | |
| 10", 1'0", 1'2" | 6'8" | N/A | 1-3/4" | N/A | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| 1'0", 1'2" | 8'0" | N/A | 1-3/4" | N/A | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| 1-PANEL 3/4 LITE MATCH (10-1/2" PANEL HEIGHT) | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/8", 9" | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/8" | Smooth |
| 3-PANEL MATCH (16-1/2" PANEL HEIGHT) | | | | | | | | | | |
| 10", 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/8", 9" | 1-3/8", 2-3/8" | N/A | 4-1/8" | N/A | 7-3/8" | Smooth |
| 6-PANEL MATCH | | | | | | | | | | |
| 1'0", 1'2" | 6'8" | 1 | 1-3/4" | 8-3/8", 9" | 1-3/8", 2-3/8" | N/A | 4-7/8" | N/A | 9-1/4" | Smooth |

| Steel doors | | | | | | | | | | |
|-----------------------------|--------|---------------|-----------|-------------|--------------|----------------|----------|-----------|-------------|---------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| CONTOURS™ 3-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 3 | 1-3/4" | 23" | 4-3/8" | 3" | 4-5/8" | 3-1/2" | 6-7/8" | Smooth |
| 3'0" | 6'8" | 3 | 1-3/4" | 23" | 6-3/8" | 3" | 4-5/8" | 3-1/2" | 6-7/8" | Smooth |
| CONTOURS SUNBURST W/CO | | | | | | | | | | |
| 2'8" | 6'8" | 4 | 1-3/4" | 9" | 4-3/8" | 4-3/4" | 5-1/8" | 6-3/8" | 9" | Smooth |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 4-3/4" | 5-1/8" | 6-3/8" | 9" | Smooth |
| CONTOURS 6-PANEL | | | | | | | | | | |
| 2'6" | 6'8" | 6 | 1-3/4" | 8-5/16" | 4-3/8" | 4-1/4" | 5-1/8" | 6-3/8" | 9" | Smooth |
| 2'8" | 6'8" | 6 | 1-3/4" | 9" | 4-3/8" | 4-3/4" | 5-1/8" | 6-3/8" | 9" | Smooth |
| 3'0" | 6'8" | 6 | 1-3/4" | 9" | 6-3/8" | 4-3/4" | 5-1/8" | 6-3/8" | 9" | Smooth |
| CONTOURS 8-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 8 | 1-3/4" | 23" | 4-3/8" | NA | 5-1/8" | NA | 8-1/2" | Smooth |
| 3'0" | 6'8" | 8 | 1-3/4" | 23" | 6-3/8" | NA | 5-1/8" | NA | 8-1/2" | Smooth |
| CONTOURS 9-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 9 | 1-3/4" | 5-5/16" | 4-3/8" | NA | 5-1/8" | NA | 9" | Smooth |
| 3'0" | 6'8" | 9 | 1-3/4" | 5-5/16" | 6-3/8" | NA | 5-1/8" | NA | 9" | Smooth |
| ENERGY SAVER® 4-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 4 | 1-3/4" | 9" | 4-3/8" | 4-7/8" | 6-1/4" | 8" | 8-7/8" | Smooth |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 4-7/8" | 6-1/4" | 8" | 8-7/8" | Smooth |
| ENERGY SAVER PROVINCIAL® | | | | | | | | | | |
| 2'8" | 6'8" | 4 | 1-3/4" | 9-1/8" | 4-3/8" | 4-7/8" | 6-1/4" | 8" | 8-7/8" | Smooth |
| 3'0" | 6'8" | 4 | 1-3/4" | 9-1/8" | 6-3/8" | 4-7/8" | 6-1/4" | 8" | 8-7/8" | Smooth |
| ENERGY SAVER 6-PANEL | | | | | | | | | | |
| 3'0" | 6'8" | 6 | 1-3/4" | 9" | 6-3/8" | 4-7/8" | 5-1/8" | 6-3/8" | 9" | Smooth |
| ENERGY SAVER 8-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 8 | 1-3/4" | 9" | 4-3/8" | 5" | 5-1/8" | 4-3/8" | 8-7/8" | Smooth |
| 3'0" | 6'8" | 8 | 1-3/4" | 9" | 6-3/8" | 5" | 5-1/8" | 4-3/8" | 8-7/8" | Smooth |
| ENERGY SAVER CROSSBUCK W/CO | | | | | | | | | | |
| 2'8" | 6'8" | N/A | 1-3/4" | 23" | 4-3/8" | 3-1/2" | 5-1/8" | 6-3/8" | 10" | Smooth |
| 3'0" | 6'8" | N/A | 1-3/4" | 23" | 6-3/8" | 3-1/2" | 5-1/8" | 6-3/8" | 10" | Smooth |
| GLADIATOR® 3-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 3 | 1-3/4" | 23" | 4-3/8" | 3" | 4-5/8" | 3-1/2" | 6-7/8" | Smooth |
| 3'0" | 6'8" | 3 | 1-3/4" | 23" | 6-3/8" | 3" | 4-5/8" | 3-1/2" | 6-7/8" | Smooth |
| GLADIATOR SUNBURST | | | | | | | | | | |
| 2'8" | 6'8" | 4 | 1-3/4" | 9" | 4-3/8" | 4-7/8" | 3-3/4" | 6-3/8" | 9" | Smooth |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 4-7/8" | 3-3/4" | 6-3/8" | 9" | Smooth |
| GLADIATOR 6-PANEL | | | | | | | | | | |
| 2'6" | 6'8" | 6 | 1-3/4" | 8-5/16" | 4-3/8" | 4-1/4" | 5-1/8" | 6-3/8" | 9" | Smooth |
| 2'8" | 6'8" | 6 | 1-3/4" | 9" | 4-3/8" | 4-7/8" | 5-1/8" | 6-3/8" | 9" | Smooth |
| 3'0" | 6'8" | 6 | 1-3/4" | 9" | 6-3/8" | 4-7/8" | 5-1/8" | 6-3/8" | 9" | Smooth |
| GLADIATOR 9-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 9 | 1-3/4" | 5-1/4" | 4-3/8" | NA | 5-1/8" | NA | 9" | Smooth |
| 3'0" | 6'8" | 9 | 1-3/4" | 5-1/4" | 6-3/8" | NA | 5-1/8" | NA | 9" | Smooth |

STEEL DOOR SPECIFICATIONS

| Steel doors (con't) | | | | | | | | | | |
|-------------------------|--------|---------------|-----------|-------------|--------------|----------------|----------|-----------|-------------|----------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| FINISHIELD® 3-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 3 | 1-3/4" | 23" | 4-3/8" | 3" | 4-5/8" | 3-1/2" | 6-7/8" | Textured |
| 3'0" | 6'8" | 3 | 1-3/4" | 23" | 6-3/8" | 3" | 4-5/8" | 3-1/2" | 6-7/8" | Textured |
| FINISHIELD SUNBURST | | | | | | | | | | |
| 2'8" | 6'8" | 4 | 1-3/4" | 9" | 4-3/8" | 4-3/8" | 4-7/8" | 3-3/4" | 6-3/8" | Textured |
| 3'0" | 6'8" | 4 | 1-3/4" | 9" | 6-3/8" | 6-3/8" | 4-7/8" | 3-3/4" | 6-3/8" | Textured |
| FINISHIELD 6-PANEL | | | | | | | | | | |
| 2'6" | 6'8" | 6 | 1-3/4" | 8-5/16" | 4-3/8" | 4-1/4" | 5-1/8" | 6-3/8" | 9" | Textured |
| 2'8" | 6'8" | 6 | 1-3/4" | 9" | 4-3/8" | 4-7/8" | 5-1/8" | 6-3/8" | 9" | Textured |
| 3'0" | 6'8" | 6 | 1-3/4" | 9" | 6-3/8" | 4-7/8" | 5-1/8" | 6-3/8" | 9" | Textured |
| FINISHIELD 8-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 8 | 1-3/4" | 9" | 4-3/8" | 5" | 5-1/8" | 4-3/8" | 8-7/8" | Textured |
| 3'0" | 6'8" | 8 | 1-3/4" | 9" | 6-3/8" | 5" | 5-1/8" | 4-3/8" | 8-7/8" | Textured |
| FINISHIELD 8-PANEL ARCH | | | | | | | | | | |
| 2'8" | 6'8" | 8 | 1-3/4" | 9" | 4-3/8" | NA | 5-1/8" | NA | 8-1/2" | Textured |
| 3'0" | 6'8" | 8 | 1-3/4" | 9" | 6-3/8" | NA | 5-1/8" | NA | 8-1/2" | Textured |
| FINISHIELD 9-PANEL | | | | | | | | | | |
| 2'8" | 6'8" | 9 | 1-3/4" | 5-1/4" | 4-3/8" | NA | 5-1/8" | NA | 9" | Textured |
| 3'0" | 6'8" | 9 | 1-3/4" | 5-1/4" | 6-3/8" | NA | 5-1/8" | NA | 9" | Textured |

| Steel sidelights | | | | | | | | | | |
|------------------------|--------|---------------|-----------|-------------|--------------|----------------|----------|-----------|-------------|--------------------|
| Width | Height | No. of Panels | Thickness | Panel Width | Outer Stiles | Center Mullion | Top Rail | Lock Rail | Bottom Rail | Surface |
| 3/4 LITE 3-PANEL MATCH | | | | | | | | | | |
| 1'0" | 6'8" | 1 | 1-3/4" | 10" | 1" | NA | 5-1/8" | NA | 6-7/8" | Smooth or Textured |
| 1'2" | 6'8" | 1 | 1-3/4" | 10" | 2" | NA | 5-1/8" | NA | 6-7/8" | Smooth or Textured |
| 1/2 LITE 6-PANEL MATCH | | | | | | | | | | |
| 1'0" | 6'8" | 1 | 1-3/4" | 9" | 1-1/2" | NA | 5-1/8" | 6-3/8" | 9" | Smooth or Textured |
| 1'2" | 6'8" | 1 | 1-3/4" | 9" | 2-1/2" | NA | 5-1/8" | 6-3/8" | 9" | Smooth or Textured |

*All measurements are in inches unless noted.

*1" lock block offset required for 2'10" door.

*Door sizes are standard offering. Please check with your JELD-WEN representative for additional sizes and options.

JELD-WEN® EXTERIOR DOOR SLAB AND SYSTEM WARRANTY

OUR WARRANTY TO YOU...

JELD-WEN® Exterior Door slabs and systems are designed to create lasting value for your home. This warranty is effective for exterior door slabs and systems manufactured by JELD-WEN on or after **October 1, 2008** for use in the United States and Canada. Separate warranties apply for our Custom door collections. Any previous warranties will continue to apply to door products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance, information, refer to www.jeld-wen.com.

What This Warranty COVERS

We warrant to the original owner¹ that JELD-WEN products will be free from defects in material or workmanship as identified below from the date of purchase for the time periods described below. Should an exterior door slab or system be deemed defective, we will, at our option, either repair or replace the defective product or components, or refund the purchase price.

Owner-Occupied Single-Family Residence Limited Warranty

Steel Door Slabs and Flush Glazed Door Slabs: Our steel door slabs will not warp, rust, crack, or buckle for **ten (10)** years from the date of purchase.

Architectural and Design-Pro Fiberglass Door Slabs: We warrant our Architectural and Design-Pro fiberglass door slabs for as long as the original consumer owns the home. If our product is proven defective in the first **twenty-five (25)** years, we will at our option either repair or replace the defective system or component. If our product is found to be defective after the first **twenty-five (25)** years, we will offer for purchase a replacement door system or component for 40% off the current JELD-WEN list price.

Smooth-Pro Fiberglass Door Slabs: Our fiberglass door slabs will not dent, warp, rot, crack, or buckle for **twenty-five (25)** years from the date of initial installation.

Door Frames: Our door frames will be free from defects in materials and workmanship for **one (1)** year from the date of purchase.

AuraLast® Protection for Door Frames: Our AuraLast door frame components will be free from wood cellular structure failure (often referred to as "wood cellular breakdown") caused by decay and/or termites for as long as the original consumer owns the home in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Commercial Five Year Limited Warranty

(Other than Owner-Occupied Single-Family Residence)

Steel Door Slabs and Flush Glazed Door Slabs: Our steel door slabs will not warp, rust, crack, or buckle for **five (5)** years from the date of purchase.

Architectural, Design-Pro, and Smooth-Pro Fiberglass Door Slabs: Our fiberglass door panels will not dent, warp, rot, crack, or buckle for **five (5)** years from the date of purchase.

Door Frames and AuraLast Protection for Door Frames: Coverage is the same as for Owner-Occupied Single-Family residences as listed above.

Transferability

This warranty is not transferable.

How to Get Assistance

If you have a problem with your JELD-WEN Exterior Door panel, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

Mail: JELD-WEN Exterior Doors
Williamson Business Park, Suite A
Chiloquin, OR 97624
Phone: 1-877-535-3462 (1-877-JELD-INC)
Fax: 541-851-4350
Email: CustomerServiceDoors@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If it is determined that the product does not have a defect covered by the warranty, we may charge an inspection fee for an on site inspection that is required or requested by you. If we determine that there is in fact a defect we will repair the product, ship a replacement product to the distributor or person making the claim in the same specification as the original product sold to the distributor, or refund the original purchase price paid to us. Replacement components/products are warranted for the balance of the original product warranty or 90 days, whichever is longer. This warranty gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components. We are not liable for:

- Normal wear and tear, and natural weathering of surfaces, including normal wear and tear of weatherstrip.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper finishing of all surfaces (front and back) and edges of the door slab and frame; variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material, or field finishing the door slab with high gloss or dark colors.
- Warp not exceeding 1/4" in the plane of the door panel, bow or misalignment in the door frame in which the door panel is hung.
- Failure to provide an adequate overhang; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not pre-hung).
- Wood cellular structure failure for wood components other than of AuraLast pine and any components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood cellular structure failure.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper fitting of the hardware, improper sizing of the door slab, or other door entry system assembly problems.
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.
- Hardware or inserts that are not provided by us, such as locksets, door handles, strikes, etc.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

Important Legal Information

This Warranty sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty.

This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to **five (5)** years from the date of initial purchase.

© 2008, JELD-WEN, inc. | JELD-WEN and AuraLast are registered trademarks of JELD-WEN, inc., Oregon, USA.



The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at www.jeld-wen.com today.

RELIABILITY *for real life*®



Official window, door and millwork provider
of the PGA TOUR and Champions Tour

JELD-WEN
WINDOWS & DOORS



©2008 JELD-WEN, inc.; JELD-WEN, the JW icon, Contours, Energy Saver, FiniShield, Gladiator and Reliability for real life are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other trademarks are the property of their respective owners.

JELD-WEN reserves the right to change product specifications without notice.
Please check our website, www.jeld-wen.com, for current information.

10-568 11/08 (CDS 10M 1766)