



TIMELESS DESIGN





JELD-WEN® FLAT CASING VINYL—U.S. AVAILABILITY

All window styles in this catolog are available in the states that are highlighted in blue.



Enjoy beautiful design from the past that will endure well into the future with JELD-WEN® Flat Casing Vinyl windows and patio doors. We've created each one to deliver the energy efficiency and stability of vinyl, while emulating the look of American Colonial wood windows. What's more, each of these reliable windows and patio doors is backed by a lifetime warranty for new construction or replacement parts, as well as a ten-year transferable residential warranty (see page 80).

For customer service inquiries, call us Monday through Friday, from 6 a.m. to 5 p.m. (PST), at **800-JELD-WEN**. Find installation and maintenance instructions at **www.jeld-wen.com/resources**. If you have an issue related to materials or workmanship, call **888-JW-Help-U**.



TegraTite™ installation system

Our new TegraTite installation system makes is easy to install a sill drainage system under a Flat Casing window or patio door. The sill drain mat sits on the rough opening and directs any incidental water away from the wall, keeping it dry. Combine that with our new butyl-based adhesive flashing tape for a tighter, more energy efficient installation.



Table of Contents

Feature highlights	
Glass types	. 6
Casement windows	٥
Awning windows	10
Double-Hung tilt sash windows	11

Radius and geometric windows	12
Sliding patio doors	13
Product specifications	14
Warranty	78
About IELD MEN	0 1


GREAT CHOICES BEGIN HERE

Our Flat Casing Vinyl windows and patio doors are available with various options. These choices are designed to enhance a home's visual appeal or make installation easier. The features available for each window are shown in the product section, beginning on page 8.

Colors

Flat Casing Vinyl windows and patio doors come in White or Desert Sand. These colors will complement many popular trim and exterior paint colors. You can count on these colors to remain true—they will not chip, crack, peel or fade when exposed to the elements.







Integral flat casing

Integral flat casing with J-channel*

This feature includes integral exterior casing, which means there's no need to apply exterior trim around the windows and doors (saving you an added expense). The J-channel creates a clean look, and the casing is 3-1/2 " wide for an American Colonial appearance.

* Not all product styles include integral profile; an applied accessory may be used

Sill nosing

This architecturally correct feature helps our Flat Casing Vinyl windows look more like traditional wood windows for greater curb appeal. It is used for the trim on the bottom edge; the other three sides feature the integral flat casing.



Sill nosing

CHOOSE LIGHT

We offer an ample selection of glass types to meet various needs. By choosing the proper glass options, our windows and patio doors will also meet the most stringent ENERGY STAR® requirements, which means they'll lower energy costs. JELD-WEN is proud to be an ENERGY STAR partner.

Low-E and Low-E 366 glass

Our high-performance Low-E insulating glass is standard for all our Flat Casing Vinyl windows and patio doors. This glass lowers energy costs, helps homes stay cooler in the summer and warmer in the winter, prevents fading of interior furnishings, and reduces condensation. It also delivers greater visible light transmittance than tinted glass. As an option, you can select Low-E glass with argon for added insulation. We also offer optional Low-E 366, which offers more protection against heat gain, as well as greater energy savings.



In warm weather, Low-E glass reflects the sun's energy and prevents it from entering the home.



In cold weather, Low-E glass reduces the amount of heat lost by reflecting it back inside.

Tempered glass

This glass is heat-treated during manufacturing for extra strength, enabling it to withstand abnormal force or pressure on its surface. And it will not break into sharp pieces. Local building codes often require tempered glass to be used in all windows that are close to the floor or near doors, bathtubs or showers.

Laminated glass


Laminated glass consists of panes of glass with an invisible interlayer, sandwiched together to create an extremely sturdy glass unit. This provides increased protection for home safety and from incidental impact; it also provides an improved barrier against sound and harmful UV rays.

Tinted and textured glass


In addition to high-performance glass options, we offer tinted and textured glass to enhance a home's appearance. Our assortment includes Bronze and Grey tinted and Obscure glass (all are shown here).



Obscure







JELD-WEN® FLAT CASING VINYL WINDOWS AND PATIO DOORS



From new construction to remodeling, JELD-WEN creates Flat Casing Vinyl windows and patio doors to perfectly fit your project. They're available in various shapes and sizes, and you can count on each one to be durable, secure, energy efficient and beautifully reliable.

CASEMENT WINDOWS

Our casement windows are hinged on either side so the sash opens outward, to the right or left, in a swinging motion. They also provide maximum ventilation.

Standard features

- Color: White
- All frames are assembled utilizing fusion-welded technology for added strength and durability
- Applied flat casing accessory with J-channel and architecturally accurate sill nosing
- Crank handle
- Low-E insulating glass
- High-quality finpile weatherstrip applied along the full perimeter of the operating sash
- Overall frame width is 3-1/2"
- Fiberglass Charcoal insect screen in a color matched frame*

Optional features

- Color: Desert Sand
- Grilles between the glass (GBG) in 5/8" and 7/8" flat, or 5/8" and 1" contour grilles
- Insulating glass options include Low-E with argon, Low-E 366, clear, laminated, tinted and textured glass
- All glass is available tempered



Exterior, shown in white

For complete specifications, see page 15.

^{*}Insect screens are intended to allow air and light in, while keeping insects out. They are not intended to stop children from falling through an open window or door. For safety screens and other security devices, contact your local building supply retailer.

AWNING WINDOWS

An awning window is hinged at the top and opens out from the bottom in an upward swing. It also provides exceptional ventilation and looks great when grouped with other window types.

Standard features

- Color: White
- All frames are assembled utilizing fusion-welded technology for added strength and durability
- Applied flat casing accessory with J-channel and architecturally accurate sill nosing
- Crank handle
- Low-E insulating glass
- High-quality finpile weatherstrip applied along the full perimeter of the operating sash
- Overall frame width is 3-1/2"
- Fiberglass Charcoal insect screen in a color matched frame*

Optional features

- Color: Desert Sand
- Grilles between the glass (GBG) in 5/8" and 7/8" flat, or 5/8" and 1" contour grilles
- Insulating glass options include Low-E with argon, Low-E 366, clear, laminated, tinted and textured glass
- All glass is available tempered





For complete specifications, see page 23.

^{*}Insect screens are intended to allow air and light in, while keeping insects out. They are not intended to stop children from falling through an open window or door. For safety screens and other security devices, contact your local building supply retailer.

DOUBLE-HUNG TILT SASH WINDOWS

This type of window features an upper and lower sash that slide vertically past each other in a single frame. Both sash in our double-hung windows tilt in for convenient cleaning.

Standard features

- Color: White
- All frames are assembled utilizing fusion-welded technology for added strength and durability
- Integral flat casing with J-channel and architecturally accurate sill nosing
- Cam lock
- Low-E insulating glass
- High-quality finpile weatherstrip applied along the full perimeter of the operating sash
- Overall frame width is 3-1/2"
- Fiberglass Charcoal insect screen in a color matched frame*

Optional features

- Color: Desert Sand
- Grilles between the glass (GBG) in 5/8" and 7/8" flat, or 5/8" and 1" contour grilles
- Insulating glass options include Low-E with argon,
 Low-E 366, clear, laminated, tinted and textured glass
- All glass is available tempered



Exterior, shown in White

For complete specifications, see page 27.

^{*}Insect screens are intended to allow air and light in, while keeping insects out. They are not intended to stop children from falling through an open window or door. For safety screens and other security devices, contact your local building supply retailer.

RADIUS AND GEOMETRIC WINDOWS

Our radius and geometric windows come in a wide variety of shapes, with either curved or straight frames. We design them to be used as freestanding units or in combination with other vinyl windows.

Standard features

- Color: White
- All frames are assembled utilizing fusion-welded technology for added strength and durability
- Integral flat casing (or applied flat casing accessory) with J-channel and architecturally accurate sill nosing
- Low-E insulating glass
- Overall frame width is 3-1/2"

Optional features

- Color: Desert Sand
- Grilles between the glass (GBG) in 5/8" and 7/8" flat, or 5/8" and 1" contour grilles
- Insulating glass options include Low-E with argon,
 Low-E 366, clear, laminated, tinted and textured glass
- All glass is available tempered



Exterior, shown in White

SLIDING PATIO DOORS

This type of patio door opens by sliding along horizontal stainless steel tracks at the head and sill. Our sliding patio doors are fully assembled with either a right or left operating panel.

Standard features

- Color: White
- All frames are assembled utilizing fusion-welded technology for added strength and durability
- Applied flat casing accessory with J-channel
- Color matched single-point lock
- Low-E insulating glass
- High-quality finpile weatherstrip applied along the full perimeter of the operating sash
- Overall frame width is 3-1/2"
- Fiberglass Charcoal insect screen in a color matched frame*

Optional features

- Color: Desert Sand
- Grilles between the glass (GBG) in 5/8" and 7/8" flat, or 5/8" and 1" contour grilles
- Insulating glass options include Low-E with argon, Low-E 366, clear, laminated, tinted and textured glass
- All glass is available tempered



Exterior, shown in White

For complete specifications, see page 73.


^{*}Insect screens are intended to allow air and light in, while keeping insects out. They are not intended to stop children from falling through an open window or door. For safety screens and other security devices, contact your local building supply retailer.

JELD-WEN® FLAT CASING VINYL WINDOW PRODUCT SPECIFICATIONS




JELD-WEN reserves the right to change product specifications without notice. Please check our Web site, **www.jeld-wen.com**, for current information.


VERTICAL SECTION DETAIL



HORIZONTAL SECTION DETAIL




FULL CASEMENT UNITS




ELEVATION SYMBOL LEGEND

CASEMENT 2-WIDE




ELEVATION SYMBOL LEGEND

CASEMENT 2-WIDE WITH CENTER STATIONARY




ELEVATION SYMBOL LEGEND


CASEMENT 4-WIDE




ELEVATION SYMBOL LEGEND

FULL CASEMENT UNITS WITH QUARTER ROUND






CASEMENT 2-WIDE WITH HALF ROUND




ELEVATION SYMBOL LEGEND

CASEMENT 2-WIDE WITH HALF ROUND (CONTINUED)




ELEVATION SYMBOL LEGEND


VERTICAL SECTION DETAIL




HORIZONTAL SECTION DETAIL




FULL AWNING UNITS




AWNING 2-WIDE




AWNING 3-WIDE




AWNING 1-WIDE, 2 HIGH (TOP STATIONARY)




AWNING 2-WIDE, 2 HIGH (TOP STATIONARY)




AWNING 3-WIDE, 2 HIGH (TOP STATIONARY)



VERTICAL SECTION DETAIL



HORIZONTAL SECTION DETAIL




DOUBLE-HUNG SINGLE UNIT

Rough Opening 18" Frame Size 17 ½"	22" 21 ½"	24" 23 ½"	26" 25 ½"	30" 29 ½"	32" 31 ½"	34" 33 ½"
30" 29 ½" MDHC1830	MDHC2230	MDHC2430	MDHC2630	MDHC3030	MDHC3230	MDHC3430
36" 35 ½" MDHC1836	MDHC2236	MDHC2436	MDHC2636	MDHC3036	MDHC3236	MDHC3436
42" 41 ½" MDHC1842	MDHC2242	MDHC2442	MDHC2642	MDHC3042	MDHC3242	MDHC3442
48" 47 ½" MDHC 1848	MDHC2248	MDHC2448	MDHC2648	MDHC3048	MDHC3248	MDHC3448
54" 53 ½" MDHC1854	MDHC2254	MDHC2454	MDHC2654	MDHC3054	MDHC3254	MDHC3454
60" 59 ½" MDHC1860	MDHC2260	MDHC2460	MDHC2660	MDHC3060	MDHC3260	MDHC3460
66" 65 ½" MDHC1866	MDHC2266	MDHC2466	MDHC2666	MDHC3066	MDHC3266	MDHC3466
72" 711½" MDHC1872	MDHC2272	MDHC2472	MDHC2672	MDHC3072	MDHC3272	MDHC3472

ELEVATION SYMBOL LEGEND

DOUBLE-HUNG SINGLE UNIT (CONTINUED)




ELEVATION SYMBOL LEGEND

2-WIDE DOUBLE-HUNG

Rough Opening 36" Frame Size 35 ½"	44" 43 ½"	48" 47 ½"	52" 51 ½"	60" 59 ½"	64" 63 ½"	68" 67 ½"
30" 29 ½" MDHC3630-2	MDHC4430-2	MDHC4830-2	MDHC5230-2	MDHC6030-2	MDHC6430-2	MDHC6830-2
36" 35 ½" MDHC3636-2	MDHC4436-2	MDHC4836-2	MDHC5236-2	MDHC6036-2	MDHC6436-2	MDHC6836-2
42" 41 ½" MDHC3642-2	MDHC4442-2	MDHC4842-2	MDHC5242-2	MDHC6042-2	MDHC6442-2	MDHC6842-2
48" 47 ½" MDHC3648-2	MDHC4448-2	MDHC4848-2	MDHC5248-2	MDHC6048-2	MDHC 6448-2	MDHC6848-2
54" 53 ½" MDHC3654-2	MDHC4454-2	MDHC4854-2	MDHC5254-2	MDHC6054-2	MDHC6454-2	MDHC6854-2
60" 59 ½" MDHC3660-2	MDHC4460-2	MDHC4860-2	MDHC5260-2	MDHC6060-2	MDHC6460-2	MDHC6860-2
66" 65 ½" MDHC3666-2	MDHC4466-2	MDHC4866-2	MDHC5266-2	MDHC6066-2	MDHC 6466-2	MDHC6866-2
72" 71½" MDHC3672-2	MDHC4472-2	MDHC4872-2	MDHC5272-2	MDHC6072-2	MDHC6472-2	MDHC6872-2


ELEVATION SYMBOL LEGEND

2-WIDE DOUBLE-HUNG (CONTINUED)



ELEVATION SYMBOL LEGEND


3-WIDE DOUBLE-HUNG WITH CENTER PICTURE — 24" FLANKER



3-WIDE DOUBLE-HUNG WITH CENTER PICTURE — 30" FLANKER


Rough Opening 96" Frame Size 95 ½"	108" 107 ½"	120" 119 ½"	132" 131 ½"
30" 29 ½" MDHC303630-3P	MDHC304830-3P	MDHC306030-3P	MDHC307230-3P
36" 35 ½" MDHC303636-3P	MDHC304836-3P	MDHC306036-3P	MDHC307236-3P
42" 41 ½" MDHC303642-3P	MDHC304842-3P	MDHC306042-3P	MDHC307242-3P
48" 47 ½" MDHC303648-3P	MDHC304848-3P	MDHC 306048-3P	MDHC307248-3P
54" 53 ½" MDHC303654-3P	MDHC304854-3P	MDHC306054-3P	MDHC307254-3P
60" 59 ½" MDHC303660-3P	MDHC304860-3P	MDHC306060-3P	MDHC307260-3P
66° 65 ½" MDHC303666-3P	MDHC 304866-3P	MDHC306066-3P	MDHC307266-3P
72" 71½" MDHC303672-3P	MDHC304872-3P	MDHC306072-3P	MDHC307272-3P

3-WIDE DOUBLE-HUNG WITH CENTER PICTURE — 36" FLANKER




ELEVATION SYMBOL LEGEND

DOUBLE-HUNG WITH HALF ROUND




ELEVATION SYMBOL LEGEND

DOUBLE-HUNG WITH HALF ROUND (CONTINUED)




ELEVATION SYMBOL LEGEND

2-WIDE DOUBLE-HUNG WITH HALF ROUND




2-WIDE DOUBLE-HUNG WITH HALF ROUND (CONTINUED)



ELEVATION SYMBOL LEGEND

BASIC UNIT CLEAR OPENING EXCEEDS 20" IN WIDTH, 24" IN HEIGHT & A MINIMUM OF 5.7 SQ. FT.


2-WIDE DOUBLE-HUNG WITH HALF ROUND (CONTINUED)




ELEVATION SYMBOL LEGEND

BASIC UNIT CLEAR OPENING EXCEEDS 20" IN WIDTH, 24" IN HEIGHT & A MINIMUM OF 5.7 SQ. FT.


VERTICAL SECTION DETAIL





HORIZONTAL SECTION DETAIL





PICTURE UNITS






















QUARTER ROUND




HALF ROUND




FULL ROUND


MFRC72




QUARTER CIRCLE SEGMENT




CIRCLE SEGMENT




EXTENDED QUARTER ROUND




EXTENDED HALF ROUND




EXTENDED QUARTER SEGMENT




EXTENDED QUARTER SEGMENT (CONTINUED)




EXTENDED CIRCLE SEGMENT




EXTENDED CIRCLE SEGMENT (CONTINUED)




LEFT TRAPEZOID




LEFT TRAPEZOID (CONTINUED)




RIGHT TRAPEZOID




RIGHT TRAPEZOID (CONTINUED)




LEFT TRIANGLE




LEFT TRIANGLE (CONTINUED)




RIGHT TRIANGLE




RIGHT TRIANGLE (CONTINUED)




LEFT CLIPPED CORNER




LEFT CLIPPED CORNER (CONTINUED)




RIGHT CLIPPED CORNER




RIGHT CLIPPED CORNER (CONTINUED)




PENTAGON




PENTAGON (CONTINUED)




VERTICAL SECTION DETAIL




HORIZONTAL SECTION DETAIL




2-PANEL SLIDING PATIO DOORS




2-PANEL SLIDING PATIO DOORS WITH TRANSOMS




TRANSOMS



3-PANEL PATIO DOOR TRANSOMS



SIDELIGHTS



NOTES

JELD-WEN® VINYL WINDOW & PATIO DOOR LIFETIME WARRANTY

Our warranty to you

JELD-WEN® products* are designed to create lasting value for your home. This warranty is effective for all JELD-WEN vinyl products manufactured on or after September 5, 2006 for use in the United States. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care, maintenance, and installation instructions, refer to **www.jeld-wen.com**.

What This Warranty Covers

Owner-Occupied Single-Family Residences

Lifetime Warranty Each JELD-WEN product will be free from defects in materials or workmanship to the original owner of the owner-occupied single-family residence in which they are initially installed **for as long as you own and occupy your residence**. This warranty includes free replacement parts and any skilled labor necessary to replace components of the window or door.

Transferability: The Owner-Occupied Single-Family Residence warranty is transferable as follows. In the event you sell your residence or it becomes occupied by other than the original owner, the warranty is **ten** years from the initial installation date.

Commercial Ten Year Limited Warranty (Other than Owner-Occupied Single-Family Residence) Each JELD-WEN product will be free from defects in material or workmanship for a period of ten years from the date of initial installation. This warranty includes free replacement parts and any skilled labor if necessary to replace components of the window or door.

Special Coverages

(Applies to both owner-occupied and commercial) The following components will be free from defects in material or workmanship from the date of initial installation. This warranty includes free replacement parts and any skilled labor necessary to replace components of the window or door.

ImpactGard™ Glass: We warrant each ImpactGard glass unit for **ten** years.

Special Glazings (including laminate glass units other than ImpactGard): We warrant special glazings (including glass options not listed in our product literature, e.g., leaded or decorative glass) for **five** years.

How to Get Assistance

If you have a problem with your JELD-WEN product, contact the dealer/distributor or contractor from whom you purchased the JELD-WEN product or contact us directly:

Mail: Warranty Service

P.O. Box 1329

Klamath Falls, OR 97601

Phone: 888.JWHelpU (888.594.3578)

Fax: 800.436.5954

Email: jeldwenwarranty@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) how to contact you, b) the address of where the product can be inspected, and c) a description of the problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, JELD-WEN will send out an acknowledgement within three business days. JELD-WEN will investigate your claim and will take appropriate action within 30 days after notification. If it is determined that the product does not have a defect covered by the warranty, JELD-WEN may charge an inspection fee for any onsite inspection that is required or requested by you. Because manufacturing materials and techniques can change, replacement part(s) may not be an aesthetic match to the original. If JELD-WEN is unable to provide replacement and repair is not practicable or cannot be made timely, then JELD-WEN will refund the purchase price. This guarantee gives you specific legal rights, and you may have other rights that vary from state to state.

What This Warranty Does Not Cover

JELD-WEN is not liable for:

- Normal wear and tear; and natural weathering of surfaces and/or hardware finishes (e.g., corrosion).
- Damage caused by chemicals (e.g., brick wash) or a harsh environment (e.g., salt spray or airborne pollutants).
- Glass breakage; failure due to misuse or abuse; and damage caused by failure to provide maintenance, by alteration or modification to the window (e.g., customer applied tints or films, paint finishes, security systems), or as a result of any cause beyond the control of JELD-WEN (e.g., fire, flood, earthquake, other acts of nature).
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g., related to laminate interlayer or heat strengthening of glass) are not considered a defect.
- Improper installation not in conformance with JELD-WEN installation instructions; problems related to water and/or air infiltration/leaking as a result of improper installation or flaws in building design or construction.
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or is not in compliance with building codes.
- Damage caused by extreme temperature buildup where storm doors/ windows are present.
- Condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure. Contact a heating/air conditioning specialist for help).
- · Labor and materials for repainting or refinishing activities.
- Incidental or consequential damage. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

IMPORTANT LEGAL INFORMATION

This Warranty sets forth JELD-WEN's maximum liability for its products. JELD-WEN shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. JELD-WEN makes no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the product, except as expressly contained herein. In the event state law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed.

*"JELD-WEN products" shall refer to products manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States.

©2006 JELD-WEN, inc. JELD-WEN and ImpactGard are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA.

About JELD-WEN

Since 1960, when JELD-WEN began as a small Oregon millwork plant, we've been dedicated to creating reliable windows and doors that are energy efficient, beautiful and worry-free. We've always produced these products responsibly by recycling and reusing material wastes, and we practice sustainable forestry.

In addition to being environmental stewards, we believe in supporting our communities. One way we do this is through the JELD-WEN Tradition Foundation, which provides charitable funds to educational organizations. We've been the title sponsor of the JELD-WEN Tradition on the PGA TOUR's Champions Tour since 2003; we're a Proud Partner of THE PLAYERS; and we're the official window, door and millwork provider of the PGA TOUR.







The JELD-WEN Web site is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **www.jeld-wen.com** today.

RELIABILITY for real life®





Official window, door and millwork provider of the PGA TOUR and Champions Tour



©2005 JELD-WEN, inc. JELD-WEN, Tegratite and Reliability for real life are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other trademarks are the property of their respective owners.