

# PREMIUM VINYL Sliding Patio Doors




## Beauty meets energy efficiency

Premium Vinyl sliding patio doors from JELD-WEN give you a well-designed look and years of durable, energy efficient performance. With all the options and configurations we offer, these patio doors are also versatile enough to coordinate with any home.



### Attractively streamlined

Beyond their clean design, Premium Vinyl sliding patio doors include many qualities that make them a beautiful These features are just a few examples of how our Premium Vinyl sliding patio doors bring reliability to real life.



easily with a full-length, one-piece handle and retract into housing that matches the patio door's color (White or Desert Sand). When in use, weatherstrip at the top and bottom helps keep out dirt and insects.



Screen retracts into housing when not in use



Full-length, onepiece handle for easy operation



Rugged weatherstrip stops dirt and insects

### **RELIABILITY** for real life®



#### Blinds between the glass (BBG)

This latest option for Premium Vinyl sliding patio doors provides privacy and is virtually maintenance-free. The blinds, which have no exposed cords, are thermally sealed between clear insulating glass. So there's no need for dusting. They're also easy to raise, lower and tilt with a reduced travel operator that moves the blinds two inches for every one inch you move. Additional benefits include less exposure to allergens, reduced fading of interior furnishings and increased energy efficiency.



LightTouch® controls raise and lower internal blind



Thermally sealed between tempered safety glass for longer life and better insulation



White

Desert Sand

See Size and Rating Chart (previous page) for sizes available with BBG. Low-E, SDL and GBG are not available.

#### Hardware options

Two-point lock



Delrin<sup>™</sup> rollers

Brushed Chrome handle (Shown with keyed cylinder and two-point lock)



#### Standard features

- Color: White
- All frames are assembled utilizing fusion-welded technology for added strength and durability
- Frames come with integral nailing fin that can be easily removed for replacement purposes
- 4-5/8" frame depth
- 1-1/2" panel thickness
- Narrow stiles and rails
- Tempered Low-E insulating glass
- Delrin<sup>™</sup> heavy-duty, cadmium-plated, ball-bearing rollers with front access adjustment screws
- Finpile weatherstrip applied along the perimeter of the operating panel
- Contoured White handle with a two-point lock
- Heavy-duty insect screens with fiberglass Charcoal mesh and an aluminum frame in White or Desert Sand (whichever color matches the unit)\*
- DP 20 rated

#### Patio door colors





White Desert Sand

#### Grille options





#### Optional features

- Color: Desert Sand
- Exterior EverTone<sup>™</sup> colors: White, French Vanilla, Desert Sand, Mesa Red, Hartford Green, Chestnut Bronze, Dark Chocolate, Black and Arctic Silver
- Factory-applied flush fin
- Blinds between the glass (BBG) in White\*\*
- Simulated divided lites (SDL) available in these widths: 7/8", 1-1/8", 1-3/8" and 2-1/8"
- Grilles between the glass (GBG) with 5/8" flat or 1" contour grilles
- Insulating glass available in clear, LoE<sup>3</sup>-366, tinted, textured or laminated
- Contoured Brushed Chrome or Desert Sand handle with a two-point lock
- Keyed cylinder lock
- Factory-installed retractable insect screens\*†
- Wide stiles and rails for a French door look
- Three- and four-panel configurations
- DP 35 rated

#### Exterior EverTone™ colors



#### **Thermal Performance Ratings**

	Clear	Low-E 272	Low-E 272 / Argon	Lodz-366	Lodz-366 / Argon
U-Value	0.47	0.34	0.32	0.34	0.32
CR	40	49	50	49	50
SHGC	0.55	0.30	0.30	0.20	0.20
VT	0.58	0.51	0.51	0.46	0.46

- \* Insect screens are intended to allow air and light in, while keeping insects out. They are not intended to stop children from falling through an open window or door. For safety screens and other security devices, contact your local building supply retailer.
- \*\* Available with clear insulating glass and for 2-panel applications (5' or 6' wide) only; not available with simulated divided lites or grilles between the glass.
- † Available for 2-panel applications (5' or 6' wide) only.

SIZE AND RATING CHART FOR PREMIUM VINYL PATIO DOOR								
	FRAME SIZE	R.O. SIZE	CONFIGURATION	PERFORMANCE RATING	WATER PERFORMANCE	AIR PERFORMANCE		
Narrow Stile:	2-Panel Sliding Pati	o Doors						
PPDN6080*	59-1/2 X 79-1/2	60 X 80	OX-XO	C-35	5.25	<0.2		
PPDN7280*	71-1/2 X 79-1/2	72 X 80	OX-XO	C-35	5.25	<0.2		
PPDN9680	95-1/2 X 79-1/2	96 X 80	OX-XO	C-35	5.25	<0.2		
PPDN6096	59-1/2 X 95-1/2	60 X 96	OX-XO	C-35	3.00	0.10		
PPDN7296	71-1/2 X 95-1/2	72 X 96	OX-XO	C-35	3.00	<0.2		
PPDN9696	95-1/2 X 95-1/2	96 X 96	OX-XO	C-35	3.00	>0.2		
Narrow Stile:	3-Panel Sliding Pati	o Doors						
PPDN9080-3*	89-7/8 X 79-1/2	90-3/8 X 80	OXO	R-20	3.00	<0.2		
PPDN10880-3*	107-7/8 X 79-1/2	108-3/8 X 80	ОХО	R-20	3.00	<0.2		
PPDN14480-3	143-7//8 X 79-1/2	144-3/8 X 80	ОХО	R-20	3.00	<0.2		
PPDN8680-3	85-5/8 X 79-1/2	86-1/8 X 80	00X-X00	R-20	3.00	<0.2		
PPDN10480-3	103-5/8 X 79-1/2	104-1/8 X 80	00X-X00	R-20	3.00	<0.2		
PPDN14080-3	139-5/8 X 79-1/2	140-1/8 X 80	00X-X00	R-20	3.00	<0.2		
PPDN9096	89-7/8 X 95-1/2	90-3/8 X 96	ОХО	R-20	3.00	<0.2		
PPDN10896-3	107-7/8 X 95-1/2	108-3/8 X 96	ОХО	R-20	3.00	<0.2		
PPDN14496-3	143-7/8 X 95-1/2	144-3/8 X 96	OXO	R-20	3.00	<0.2		
PPDN8696-3	85-5/8 X 95-1/2	86-1/8 X 96	00X-X00	R-20	3.00	<0.2		
PPDN10496-3	103-5/8 X 95-1/2	104-1/8 X 96	00X-X00	R-20	3.00	<0.2		
PPDN14096-3	139-5/8 X 95-1/2	140-1/8 X 96	00X-X00	R-20	3.00	<0.2		
Narrow Stile:	4-Panel Sliding Pati	o Doors						
PPDN11780-4*	116-1/2 X 79-1/2	117 X 80	OXXO	R-20	3.00	<0.2		
PPDN14180-4*	140-1/2 X 79-1/2	141 X 80	OXXO	R-20	3.00	<0.2		
PPDN18980-4	188-1/2 X 79-1/2	189 X 80	OXXO	R-20	3.00	<0.2		
PPDN11796-4	116-1/2 X 95-1/2	117 X 96	OXXO	R-20	3.00	<0.2		
PPDN14196-4	140-1/2 X 95-1/2	141 X 96	OXXO	R-20	3.00	<0.2		
PPDN18996-4	188-1/2 X 95-1/2	189 X 96	OXXO	R-20	3.00	<0.2		
	Panel Sliding Patio I		1 21212	1.1.2.				
PPDW6080	59-1/2 X 79-1/2	60 X 80	OX-XO	C-35	5.25	<0.2		
PPDW7280	71-1/2 X 79-1/2	72 X 80	OX-XO	C-35	5.25	<0.2		
PPDW9680	95-1/2 X 79-1/2	96 X 80	OX-XO	C-35	5.25	<0.2		
PPDW6096	59-1/2 X 95-1/2	60 X 96	OX-XO	R-20	3.00	<0.2		
PPDW7296	71-1/2 X 95-1/2	72 X 96	OX-XO	R-20	3.00	<0.2		
PPDW9696	95-1/2 X 95-1/2	96 X 96	OX-XO	R-20	3.00	>0.2		
	Panel Sliding Patio I		OX-XO	11-20	5.00	<b>&gt;0.2</b>		
PPDW9180-3	90-5/8 X 79-1/2	91-1/8 X 80	OXO	R-20	3.00	<0.2		
PPDW10980-3	108-5/8 X 79-1/2	109-1/8 X 80	OXO	R-20	3.00	<0.2		
PPDW14580-3	144-5/8 X 79-1/2	145-1/8 X 80	OXO	R-20	3.00	<0.2		
PPDW8580-3	84-7/7 X 79-1/2	85-3/8 X 80	00X-X00	R-20	3.00	<0.1		
PPDW10380-3	102-7/8 X 79-1/2	103-3/8 X 80	00X-X00	R-20	3.00	<0.1		
PPDW13980-3	138-7/8 X 79-1/2	139-3/8 X 80	00X-X00	R-20	3.00	<0.1		
PPDW9196-3	90-5/8 X 95-1/2	91-1/8 X 96	OXO	R-20	3.00	<0.2		
PPDW10996-3	108-5/8 X 95-1/2	109-1/8 X 96	OXO	R-20	3.00	<0.2		
PPDW14596-3	144-5/8 X 95-1/2	145-1/8 X 96	0X0	R-20	3.00	<0.2		
PPDW8596-3	84-7/8 X 95-1/2	85-3/8 X 96	00X-X00	R-20	3.00	<0.1		
PPDW10396-3	102-7/8 X 95-1/2	103-3/8 X 96	00X-X00	R-20	3.00	<0.1		
PPDW13996-3	138-7/8 X 95-1/2	139-3/8 X 96	00X-X00	R-20	3.00	<0.1		
	Panel Sliding Patio I	1	OVVO	P 20	2.00	-0.3		
PPDW11780-4	116-1/2 X 79-1/2	117 X 80	OXXO	R-20	3.00	<0.2		
PPDW14180-4	140-1/2 X 79-1/2	141 X 80	OXXO	R-20	3.00	<0.2		
PPDW18980-4	188-1/2 X 79-1/2	189 X 80	OXXO	R-20	3.00	<0.2		
PPDW11796-4	116-1/2 X 79-1/2	117 X 80	OXXO	R-20	3.00	<0.2		
PPDW14196-4	140-1/2 X 79-1/2	141 X 80	OXXO	R-20	3.00	<0.2		
PPDW18996-4	188-1/2 X 79-1/2	189 X 80	OXXO	R-20	3.00	<0.2		







The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **www.jeld-wen.com** today.

**RELIABILITY** for real life®





Official window, door and millwork provider of the PGA TOUR and Champions Tour



